

ASME B30.3-2016
(Revision of ASME B30.3-2012)

Tower Cranes

**Safety Standard for Cableways,
Cranes, Derricks, Hoists, Hooks, Jacks,
and Slings**

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**

ASME B30.3-2016
(Revision of ASME B30.3-2012)

Tower Cranes

**Safety Standard for Cableways,
Cranes, Derricks, Hoists, Hooks, Jacks,
and Slings**

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**

Two Park Avenue • New York, NY • 10016 USA

Date of Issuance: March 14, 2016

The next edition of this Standard is scheduled for publication in 2019. This Standard will become effective 1 year after the Date of Issuance.

ASME issues written replies to inquiries concerning interpretations of technical aspects of this Standard. Interpretations are published on the Committee Web page and under go.asme.org/InterpsDatabase.

Errata to codes and standards may be posted on the ASME Web site under the Committee Pages to provide corrections to incorrectly published items, or to correct typographical or grammatical errors in codes and standards. Such errata shall be used on the date posted.

The Committee Pages can be found at <http://cstools.asme.org/>. There is an option available to automatically receive an e-mail notification when errata are posted to a particular code or standard. This option can be found on the appropriate Committee Page after selecting “Errata” in the “Publication Information” section.

ASME is the registered trademark of The American Society of Mechanical Engineers.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not “approve,” “rate,” or “endorse” any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assumes any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

No part of this document may be reproduced in any form,
in an electronic retrieval system or otherwise,
without the prior written permission of the publisher.

The American Society of Mechanical Engineers
Two Park Avenue, New York, NY 10016-5990

Copyright © 2016 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All rights reserved
Printed in U.S.A.

CONTENTS

| | |
|---------------------------------|--|
| Foreword | v |
| Committee Roster | vii |
| B30 Standard Introduction | ix |
| Summary of Changes | xii |
| Chapter 3-0 | Scope, Definitions, References, and Personnel Competence |
| Section 3-0.1 | Scope of B30.3 |
| Section 3-0.2 | Definitions |
| Section 3-0.3 | References |
| Section 3-0.4 | Personnel Competence |
| Chapter 3-1 | Erection, Climbing and Dismantling, Characteristics, and Construction |
| Section 3-1.1 | Design Requirements for the Load Bearing Structure |
| Section 3-1.2 | Site Planning |
| Section 3-1.3 | Crane Base Supports |
| Section 3-1.4 | General Erection and Dismantling Requirements |
| Section 3-1.5 | Freestanding Cranes |
| Section 3-1.6 | Climbing Cranes |
| Section 3-1.7 | Preoperation Tests |
| Section 3-1.8 | Altered or Modified Cranes |
| Section 3-1.9 | Documentation |
| Section 3-1.10 | Load Hoist and Luffing Boom Hoist Mechanisms |
| Section 3-1.11 | Hooks |
| Section 3-1.12 | Slewing (Swing) Mechanism |
| Section 3-1.13 | Travel Equipment |
| Section 3-1.14 | Climbing Equipment |
| Section 3-1.15 | Trolleys (Load) |
| Section 3-1.16 | Brakes |
| Section 3-1.17 | Operator Aids |
| Section 3-1.18 | Pendants, Stay Ropes, and Guys |
| Section 3-1.19 | Reeving Accessories |
| Section 3-1.20 | Counterweight and Ballast Blocks |
| Section 3-1.21 | Controls |
| Section 3-1.22 | Electrical Equipment |
| Section 3-1.23 | Operator’s Cabs |
| Section 3-1.24 | General Requirements |
| Chapter 3-2 | Inspection, Testing, and Maintenance |
| Section 3-2.1 | Inspection |
| Section 3-2.2 | Testing |
| Section 3-2.3 | Maintenance |
| Section 3-2.4 | Rope Inspection, Replacement, and Maintenance |
| Chapter 3-3 | Operation |
| Section 3-3.1 | Qualifications for and Conduct of Operators and Operating Practices |
| Section 3-3.2 | Operating Practices |
| Section 3-3.3 | Signals |
| Section 3-3.4 | Miscellaneous |

Figures

| | | |
|-------------|---|----|
| 3-0.2.1.2-1 | Hammerhead Tower Crane — Fixed-Base, Freestanding Crane | 2 |
| 3-0.2.1.2-2 | Guyed Tower Crane | 3 |
| 3-0.2.1.2-3 | Luffing Boom Tower Crane — Fixed-Base, Freestanding Crane | 4 |
| 3-0.2.1.3-1 | Braced Crane | 5 |
| 3-0.2.1.3-2 | Internal Climbing Crane | 6 |
| 3-0.2.1.4-1 | Travel Base for Freestanding Crane | 7 |
| 3-0.2.2-1 | Types of Fixed Bases | 8 |
| 3-2.4.2-1 | Core Failure in Rotation-Resistant Rope | 29 |
| 3-3.3.4-1 | Standard Hand Signals for Controlling Tower Cranes | 38 |
| 3-3.4.3-1 | Danger Zone for Cranes and Lifted Loads Operating Near Electric Transmission Lines | 40 |

Table

| | | |
|-----------|---|----|
| 3-3.4.3-1 | Required Clearance for Normal Voltage in Operation Near High-Voltage Power Lines | 40 |
|-----------|---|----|