Product Definition for Additive Manufacturing

Engineering Product Definition and Related Documentation Practices

AN AMERICAN NATIONAL STANDARD



Product Definition for Additive Manufacturing

Engineering Product Definition and Related Documentation Practices

AN AMERICAN NATIONAL STANDARD



Date of Issuance: June 8, 2022

This Standard will be revised when the Society approves the issuance of a new edition.

Periodically certain actions of the ASME Y14 Committee may be published as Cases. Cases are published on the ASME website under the Y14 Committee Page at http://go.asme.org/Y14committee as they are issued.

Errata to codes and standards may be posted on the ASME website under the Committee Pages to provide corrections to incorrectly published items, or to correct typographical or grammatical errors in codes and standards. Such errata shall be used on the date posted.

The Y14 Committee Page can be found at http://go.asme.org/Y14committee. There is an option available to automatically receive an e-mail notification when errata are posted to a particular code or standard. This option can be found on the appropriate Committee Page after selecting "Errata" in the "Publication Information" section.

ASME is the registered trademark of The American Society of Mechanical Engineers.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The standards committee that approved the code or standard was balanced to ensure that individuals from competent and concerned interests had an opportunity to participate. The proposed code or standard was made available for public review and comment, which provided an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not "approve," "rate," or "endorse" any item, construction, proprietary device, or activity. ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor does ASME assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representatives or persons affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

No part of this document may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

The American Society of Mechanical Engineers Two Park Avenue, New York, NY 10016-5990

Copyright © 2022 by THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS All rights reserved

CONTENTS

Foreword		V
Committee	e Roster	vi
Correspon	dence With the Y14 Committee	viii
1	General	1
1.1	Scope	1
1.2	ASME Y14 Series Conventions	1
1.3	Dimensioning and Tolerancing	2
1.4	Examples	2
1.5	References	3
2	Definitions	3
3	Supplemental Geometry	5
3.1	Coordinate System Identification	5
3.2	Unit Vector Identification	5
3.3	Surface Identification	5
4	Product and Process Definition	9
4.1	Geometry Characteristics	9
4.2	Design Characteristics	9
4.3	Process-Related Characteristics	10
5	Product Definition Data Sets	27
5.1	General	27
5.2	Product Definition Data Set Types	27
5.3	PDDS Type Contents	27
5.4	Model Schema and Organization	27
Nonmand	atory Appendices	
A	Example AM Notes	31
В	Defining Transition Regions	32
С	Reference Documents to Test for Conformance	36
D	Complex Geometry and Forward Work	38
Figures		
3-1	Single Coordinate System Related to the Model	6
3-2	Multiple Coordinate Systems	7
3-3	Unit Vector Indicating Build Direction	7
3-4	Unit Vector Indicating Gravity Direction	8
3-5	A Surface Representing a Build Surface	8
4-1	Example of a Theoretical Supplemental Surface Used on a Rectangular Lattice Cuboid	12
4-2	Example of a Nonplanar Theoretical Supplemental Surface	13

4-3	Example of a Tolerance Zone	13
4-4	Bounded Surface Region to Indicate Internal and External Surfaces	1
4-5	Bounded Volume Region Indicator (VOL1) With a Profile of a Surface Tolerance	1.
4-6	Bounded Volume Regions Represented by Several Bounded Volume Region Indicators in a Part	1
4-7	Bounded Surface Region Indicator Coupled With a Feature Control Frame	1
4-8	Examples of Unit Cell Geometries and Lattice Structures	1
4-9	VOL Local Notes That Describe Material Gradient Allocations Shown in Table 4-1	1
4-10	Build Direction Indicated Using the Direction Unit Vector	1
4-11	Multiple Build Directions	1
4-12	Planar Build Surface and a Nonplanar Build Surface	1
4-13	Coordinate Systems Are Used to Locate Parts Within a Build Volume	1
4-14	Four Separate Parts Nested Inside One Another on a Build Surface	2
4-15	Free Zone Description With an Offset Dimension	2
4-16	Free Zone Bounding Box Description	2
4-17	Layer Thickness Specification	2
4-18	Specification of a Track Path With Three Contours	2
4-19	Specification of a Track Path Using a Follow Boundary (FB) Modifier	2
4-20	Specification of Track Paths on Different Layers	2
4-21	Examples of Infill and Unit Volumes	2
4-22	Example Where Support Structure Location Is Not Specified	2
4-23	Example Where Bounded Surface Region 1 (SURF1) Is Annotated to Indicate a Structure Exclusion Area (SEA)	2
4-24	Example Where SURF1 Is Annotated to Indicate a Structure Limiting Area (SLA) of 20% \dots	2.
4-25	Example Where SURF1 Is Annotated to Indicate a Structure Required Area (SRA)	2.
4-26	Indication of Geometry Created Inside the Part to Specify Support Structure	2
4-27	Local Notes Identifying Test Coupons	2
B-1	Material Transition Specification Between Bounded Volume Regions With Lattice Fill	3
B-2	Part With Material Transition Region (Heterogeneous Material Indicator) and Specification of Tolerance	3
B-3	Acceptable Void Fractions for MAT1 and MAT2	34
B-4	Allowable Material Fractions for MAT1 and MAT2	3
D-1	Complex Geometries Generated From Topology Optimization	3
D-2	Wrench Produced as a Single Build With Three Parts	4
Tables		
4-1	Material Gradient Values Used in Figure 4-9	1
5-1	Required and Optional Data Sets for AM Products	2
5-2	Required and Optional Elements Within the AM Design PDDS	2
5-3	Required and Optional Elements Within the AM Build PDDS	2
5-4	Required and Optional Elements Within the AM Processed PDDS	2
5-5	Required and Optional Elements Within the End Product PDDS	2
5-6	Examples of AM Use Cases Using the Codes in ASME Y14.47 to Show the Level of Content in an AM Data Set Type	29
5-7	Examples of Metadata for Model-Based Definition (MBD) Data	30
C-1	Select Reference Documents	3