

ASME A17.1-2019/CSA B44:19
(Revision of ASME A17.1-2016/CSA B44-16)

Safety Code for Elevators and Escalators

**Includes Requirements for Elevators,
Escalators, Dumbwaiters, Moving
Walks, Material Lifts, and Dumbwaiters
With Automatic Transfer Devices**

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**



**CSA
GROUP™**

ASME A17.1-2019/CSA B44:19
(Revision of ASME A17.1-2016/CSA B44-16)

Safety Code for Elevators and Escalators

**Includes Requirements for Elevators,
Escalators, Dumbwaiters, Moving
Walks, Material Lifts, and Dumbwaiters
With Automatic Transfer Devices**

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**



**CSA
GROUP™**

Date of Issuance: December 31, 2019

The next edition of this Code is scheduled for publication in 2022. This Code will become effective 6 months after the Date of Issuance.

ASME issues written replies to inquiries concerning interpretations of technical aspects of this Code. Interpretations are published on the ASME website under the Committee Pages at <http://cstools.asme.org/> as they are issued.

Errata to codes and standards may be posted on the ASME website under the Committee Pages to provide corrections to incorrectly published items, or to correct typographical or grammatical errors in codes and standards. Such errata shall be used on the date posted.

The Committee Pages can be found at <http://cstools.asme.org/>. There is an option available to automatically receive an e-mail notification when errata are posted to a particular code or standard. This option can be found on the appropriate Committee Page after selecting "Errata" in the "Publication Information" section.

ASME is the registered trademark of The American Society of Mechanical Engineers.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not "approve," "rate," or "endorse" any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

No part of this document may be reproduced in any form,
in an electronic retrieval system or otherwise,
without the prior written permission of the publisher.

The American Society of Mechanical Engineers
Two Park Avenue, New York, NY 10016-5990

Copyright © 2019 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All rights reserved
Printed in U.S.A.

FOR ASME COMMITTEE USE ONLY

CONTENTS

Foreword	x
ASME Committee Roster	xv
CSA Committee	xxii
ASME Preface	xxiii
CSA Preface	xxvii
Summary of Changes	xxviii
Part 1	General	1
Section 1.1	Scope	1
Section 1.2	Purpose and Exceptions	2
Section 1.3	Definitions	2
Part 2	Electric Elevators	19
	Scope	19
Section 2.1	Construction of Hoistways and Hoistway Enclosures	19
Section 2.2	Pits	21
Section 2.3	Location and Guarding of Counterweights	23
Section 2.4	Vertical Clearances and Runbys for Cars and Counterweights	24
Section 2.5	Horizontal Car and Counterweight Clearances	26
Section 2.6	Protection of Space Below Hoistways	27
Section 2.7	Machinery Spaces, Machine Rooms, Control Spaces, and Control Rooms	27
Section 2.8	Equipment in Hoistways, Machinery Spaces, Machine Rooms, Control Spaces, and Control Rooms	35
Section 2.9	Machinery and Sheave Beams, Supports, and Foundations	38
Section 2.10	Guarding of Equipment and Standard Railing	40
Section 2.11	Protection of Hoistway Openings	40
Section 2.12	Hoistway Door Locking Devices and Closed Detection Means, and Hoistway Access Switches	48
Section 2.13	Power Operation of Hoistway Doors and Car Doors	53
Section 2.14	Car Enclosures, Car Doors and Gates, and Car Illumination	60
Section 2.15	Car Frames and Platforms	70
Section 2.16	Capacity and Loading	74
Section 2.17	Car and Counterweight Safeties	78
Section 2.18	Speed Governors	81
Section 2.19	Ascending Car Overspeed and Unintended Car Movement Protection	85
Section 2.20	Suspension Means and Their Connections	87
Section 2.21	Counterweights	96
Section 2.22	Buffers and Bumpers	97
Section 2.23	Car and Counterweight Guide Rails, Guide-Rail Supports, and Fastenings	100
Section 2.24	Driving Machines and Sheaves	109
Section 2.25	Terminal Stopping Devices	112

Section 2.26	Operating Devices and Control Equipment	116
Section 2.27	Emergency Operation and Signaling Devices	127
Section 2.28	Layout Drawings	145
Section 2.29	Identification	146
Section 2.30	Sway Control Guides	147
Part 3	Hydraulic Elevators	148
	Scope	148
Section 3.1	Construction of Hoistways and Hoistway Enclosures	148
Section 3.2	Pits	148
Section 3.3	Location and Guarding of Counterweights	148
Section 3.4	Bottom and Top Clearances and Runbys for Cars and Counterweights	148
Section 3.5	Horizontal Car and Counterweight Clearances	149
Section 3.6	Protection of Spaces Below Hoistway	150
Section 3.7	Machinery Spaces, Machine Rooms, Control Spaces, and Control Rooms	150
Section 3.8	Electrical Equipment, Wiring, Pipes, and Ducts in Hoistway, Machinery Spaces, Machine Rooms, Control Spaces, and Control Rooms	151
Section 3.9	Machinery and Sheave Beams, Supports, and Foundations	151
Section 3.10	Guarding of Exposed Auxiliary Equipment	151
Section 3.11	Protection of Hoistway Landing Openings	151
Section 3.12	Hoistway Door Locking Devices, Closed Detection Means, and Hoistway Access Switches	151
Section 3.13	Power Operation, Power Opening, and Power Closing of Hoistway Doors and Car Doors or Gates	151
Section 3.14	Car Enclosures, Car Doors and Gates, and Car Illumination	151
Section 3.15	Car Frames and Platforms	151
Section 3.16	Capacity and Loading	152
Section 3.17	Car Safeties, Counterweight Safeties, Plunger Gripper, and Governors	152
Section 3.18	Hydraulic Jacks	154
Section 3.19	Valves, Pressure Piping, and Fittings	157
Section 3.20	Ropes and Rope Connections	160
Section 3.21	Counterweights	160
Section 3.22	Buffers and Bumpers	160
Section 3.23	Guide Rails, Guide-Rail Supports, and Fastenings	160
Section 3.24	Hydraulic Machines and Tanks	161
Section 3.25	Terminal Stopping Devices	161
Section 3.26	Operating Devices and Control Equipment	162
Section 3.27	Emergency Operation and Signaling Devices	165
Section 3.28	Layout Data	166
Section 3.29	Identification	166
Part 4	Elevators With Other Types of Driving Machines	167
	Scope	167
Section 4.1	Rack-and-Pinion Elevators	167
Section 4.2	Screw-Column Elevators	174
Section 4.3	Hand Elevators	177
Part 5	Special Application Elevators	181
	Scope	181
Section 5.1	Inclined Elevators	181

Section 5.2	Limited-Use/Limited-Application Elevators	187
Section 5.3	Private Residence Elevators	192
Section 5.4	Private Residence Inclined Elevators	203
Section 5.5	Power Sidewalk Elevators	206
Section 5.6	Rooftop Elevators	210
Section 5.7	Special Purpose Personnel Elevators	213
Section 5.8	Marine Elevators	220
Section 5.9	Mine Elevators	221
Section 5.10	Elevators Used for Construction	225
Section 5.11	Wind Turbine Tower Elevators	230
Section 5.12	Outside Emergency Elevators	230
Part 6	Escalators and Moving Walks	231
	Scope	231
Section 6.1	Escalators	231
Section 6.2	Moving Walks	244
Part 7	Dumbwaiters and Material Lifts	257
	Scope	257
Section 7.1	Power Dumbwaiters Without Automatic Transfer Devices	257
Section 7.2	Electric Dumbwaiters Without Automatic Transfer Devices	262
Section 7.3	Hydraulic Dumbwaiters Without Automatic Transfer Devices	268
Section 7.4	Material Lifts Without Automatic Transfer Devices	269
Section 7.5	Electric Material Lifts Without Automatic Transfer Devices	273
Section 7.6	Hydraulic Material Lifts Without Automatic Transfer Devices	279
Section 7.7	Automatic Transfer Devices	280
Section 7.8	Power Dumbwaiters With Automatic Transfer Devices	281
Section 7.9	Electric Material Lifts With Automatic Transfer Devices	281
Section 7.10	Hydraulic Material Lifts With Automatic Transfer Devices	283
Part 8	General Requirements	284
	Scope	284
Section 8.1	Security	284
Section 8.2	Design Data and Formulas	285
Section 8.3	Engineering Tests, Type Tests, and Certification	304
Section 8.4	Elevator Seismic Requirements	315
Section 8.5	Escalator and Moving Walk Seismic Requirements	342
Section 8.6	Maintenance, Repair, Replacement, and Testing	345
Section 8.7	Alterations	371
Section 8.8	Welding	397
Section 8.9	Code Data Plate	397
Section 8.10	Acceptance Inspections and Tests	398
Section 8.11	Periodic Inspections and Witnessing of Tests	418
Section 8.12	Flood Resistances	425
Section 8.13	Signs, Plates, and Tags	425
Part 9	Reference Codes, Standards, and Specifications	427
Section 9.1	Reference Documents	428
Section 9.2	Procurement Information	433

Nonmandatory Appendices

A	Control System	435
B	Unlocking Zone	437
C	Location of Top Emergency Exit	438
D	Rated Load and Capacity Plates for Passenger Elevators	439
E	Elevator Requirements for Persons With Physical Disabilities in Jurisdictions Enforcing the NBCC	440
F	Ascending Car Overspeed and Unintended Car Movement Protection	448
G	Top-of-Car Clearance	452
H	Private Residence Elevator Guarding (5.3.1.7.2)	457
I	Escalator and Moving Walk Diagrams	458
J	Relationship of Pit Ladder to Hoistway Door Unlocking Means	464
K	Beveling and Clearance Requirements (7.4.7.4)	465
L	Index of Alteration Requirements for Electric Elevators, Hydraulic Elevators, Escalators, and Moving Walks	466
M	Inertia Application for Type A Safety Device Location of Test Weight [8.10.2.2(ii)(2)]	473
N	Recommended Inspection and Test Intervals in “Months”	474
P	Plunger Gripper Stopping Distances	483
Q	Explanatory Figures for the Definitions of Elevator Machinery Space, Machine Room, Control Space, Control Room, Remote Machine Room, or Remote Control Room	484
R	Inspection Operation and Hoistway Access Switch Operation Hierarchy	487
S	Horizontally and Vertically Sliding Doors — Illustrations of Detection Zones (2.13.3.4 and 2.13.5.4)	489
U	Design Requirements — Traction Elevator Suspension System	506
V	Building Features for Occupant Evacuation Operation	507
X	Acceptance Tests	509
Y	Maintenance Control Program Records	514
Z	Mass and Closing Time of Horizontally Sliding Elevator Doors	518
AA	Checklist for Firefighters’ Emergency Operation (8.6.11.1)	519
Index	522
Figures		
2.16.1.1	Inside Net Platform Areas for Passenger Elevators	74
2.20.9.4	Tapered Rope Sockets	92
2.20.9.5	Wedge Rope Sockets	92
2.23.3	Elevator Guide Rails	101
2.23.4.1-1	Maximum Weight of a Car With Rated Load or of Counterweight With Safety Device for a Pair of Guide Rails as Specified in 2.23.4.1	103
2.23.4.1-2	Minimum Moment of Inertia About x-x Axis for a Single Guide Rail With Its Reinforcement	104
2.27.3.1.6	Visual Signal	133
2.27.3.3.7	Panel Layout	137
2.27.7.1	Phase I Emergency Recall Operation Instructions	140
2.27.7.2	Phase II Emergency In-Car Operation	140
2.27.8	FEO-K1 Key	141
2.27.9	Elevator Corridor Call Station Pictograph	142

5.1.17.3	Vertical and Horizontal Components of Velocity	186
6.1.3.3.10	Dimensions	233
6.1.6.9.1	Caution Sign	242
8.2.1.2	Minimum Rated Load for Passenger Elevators	286
8.2.2.5.1	Turning Moment Based on Class of Loading	289
8.2.4	Gravity Stopping Distances	291
8.2.5	Maximum Governor Tripping Speeds	292
8.2.6	Stopping Distances for Type B Car and Counterweight Safeties	294
8.2.7	Minimum Factors of Safety of Suspension Members of Power Passenger and Freight Elevators	297
8.2.8.1.1	Allowable Gross Loads	299
8.2.9.1.3	Load Distribution	302
8.4.3.1.3	Arc of Contact	317
8.4.8.2.1-1	12 kg/m (8 lb/ft) Guide-Rail Bracket Spacing	319
8.4.8.2.1-2	16.5 kg/m (11 lb/ft) Guide-Rail Bracket Spacing	320
8.4.8.2.1-3	18 kg/m (12 lb/ft) Guide-Rail Bracket Spacing	321
8.4.8.2.1-4	22.5 kg/m (15 lb/ft) Guide-Rail Bracket Spacing	322
8.4.8.2.1-5	27.5 kg/m (18.5 lb/ft) Guide-Rail Bracket Spacing	323
8.4.8.2.1-6	33.5 kg/m (22.5 lb/ft) Guide-Rail Bracket Spacing	324
8.4.8.2.1-7	44.5 kg/m (30 lb/ft) Guide-Rail Bracket Spacing	325
8.4.8.2.2	Car and Counterweight Load Factor	326
8.4.8.9	Guide-Rail Axes	331
8.4.10.1.1	Earthquake Elevator Equipment Requirements Diagrammatic Representation	332
8.4.10.1.3	Earthquake Emergency Operation Diagrammatic Representation	334
8.5.1	Balustrade Handrail Force	343
8.6.8.15.19	Location of Center of Applied Load for Coefficient of Friction and Loaded Gap Measurements	366
A-1	Control System	436
B-1	Unlocking Zone (2.12.1 and 2.14.5.7)	437
C-1	Parallelepiped Volume Orientations [2.14.1.5.1(b)(2)]	438
E-20.4.3-1	Braille Measurements	446
E-20.6.3	International Symbol of Accessibility	447
F-1	Ascending Car Overspeed Protection (2.19.1)	450
F-2	Unintended Car Movement Protection (2.19.2)	451
G-1	Top-of-Car Clearance Requirements (2.4.7.1 and 2.14.1.7.2)	452
G-2	Additional Top-of-Car Clearance Requirements (2.4.7.1)	453
G-3	Top-of-Car Marking Requirements (2.4.7.2)	453
G-4	Additional Top-of-Car Marking Requirements (2.4.7.2)	454
G-5	Additional Top-of-Car Clearance Requirements	455
G-6	Additional Top-of-Car Clearance [2.4.7.1(b)]	456
H-1	Private Residence Elevator Guarding	457
I-1	Relationship of Escalator Parts	458
I-2	Handrail	458
I-3	Escalator Nomenclature	459
I-4	Skirt or Dynamic Skirt Panel: Step Nose (6.1.3.3.6)	460
I-5	Ceiling or Soffit Guard (6.1.3.3.11)	460

I-6	Antislip Device (6.1.3.3.12)	460
I-7	Escalator Step Tread	461
I-8	Cleated Riser (6.1.3.5.3)	461
I-9	Moving Walk Geometry	462
I-10	Moving Walk Treadway Slots	462
I-11	Stopping Distances Corresponding to a Deceleration Rate of 0.91 m/s ² [6.1.5.3.1(c)] . . .	463
I-12	Clearance Between Escalator Steps	463
J-1	Relationship of Pit Ladder to Hoistway Door Unlocking Means	464
K-1	Beveling and Clearance Requirements	465
M-1	Inertia Application for Type A Safety Device Location of Test Weight	473
Q-1	485
Q-2	485
Q-3	485
Q-4	485
Q-5	486
Q-6	486
S-1	490
S-2	491
S-3	492
S-4	493
S-5	494
S-6	495
S-7	496
S-8	497
S-9	498
S-10	499
S-11	500
S-12	501
S-13	Cylindrical Targets (2.13.5.3)	502
S-14	Prismatic Targets (2.13.5.4.1)	502
S-15	Prismatic Targets (2.13.5.4.2)	503
S-16	Detection Areas Relative to Door Position	504
Y-1	Maintenance Control Program Records	515

Tables

2.4.2.2	Minimum Bottom Runby for Counterweight Elevators With Spring Buffers, Elastomeric Buffers, or Solid Bumpers and Rheostatic Control or Single-Speed AC Control	25
2.15.10.1	Maximum Allowable Stresses in Car Frame and Platform Members and Connections, for Steels Specified in 2.15.6.2.1 and 2.15.6.2.2	72
2.16.1.1	Maximum Inside Net Platform Areas for the Various Rated Loads	75
2.17.3	Maximum and Minimum Stopping Distances for Type B Car Safeties With Rated Load at Maximum Governor Tripping Speed	79
2.18.2.1	Maximum Car Speeds at Which Speed Governor Trips and Governor Overspeed Switch Operates	82
2.18.7.4	Multiplier for Determining Governor Sheave Pitch Diameter	84
2.20.3	Minimum Factors of Safety for Suspension Members	88

2.20.9.4.5	Relation of Rope Diameter to Diameter of the Small Socket Hole	92
2.22.3.1	Minimum Spring Buffer Strokes	97
2.22.4.1	Minimum Oil Buffer Strokes	99
2.23.3	T-Section Guide-Rail Dimensions	101
2.23.4.2	Load Multiplying Factor for Duplex Safeties	107
2.23.4.3.1	Guide Rails for Counterweight Without Safeties	108
2.23.4.3.3	Intermediate Tie Brackets	108
2.23.7.2.1	Minimum Thickness of Fishplates and Minimum Diameter of Fastening Bolts	109
2.23.10.2	Minimum Size of Rail-Fastening Bolts	109
2.26.4.3.2	SIL for Electrical Protective Devices and Other Electrical Safety Functions	123
2.26.12.1	Symbol Identification	128
4.1.18.1	Maximum and Minimum Stopping Distances for Rack-and-Pinion Safeties With Rated Load	171
5.1.14.2	Minimum and Maximum Stopping Distances at Given Angles From Horizontal	185
5.1.17.2	Spring Buffer Stroke	186
5.1.17.4.4	Minimum Oil Buffer Strokes at Given Angle From Horizontal	187
6.2.3.7	Treadway Width	248
6.2.4.1.1	Treadway Speed	249
7.2.6.4	Factors of Safety for Wire Rope and Chains	265
7.2.8.1	Minimum Spring Buffer Strokes	265
7.2.8.2	Minimum Oil Buffer Strokes	266
7.4.3	Type B Material Lifts	270
7.9.2.14	Minimum Spring Buffer Strokes	283
7.9.2.15	Minimum Oil Buffer Strokes	283
8.4.8.7	Stresses and Deflections of Guide-Rail Brackets and Supports	329
8.4.10.1.1	Visual Indication Matrix	333
8.4.11.13	Pipe Support Spacing	337
8.4.12.2.2	Maximum Allowable Deflection	341
8.5.5	Component-Based Allowable Design Stresses	346
8.6.4.20.4	Brake Test Loads	357
E-5-1	Minimum Dimensions of Elevator Cars	441
E-20.4.3-1	Measurement Range for Standard Sign Braille	446
F-1	Traction Elevator Brake Type, Function, and Performance	449
N-1	Recommended Inspection and Test Intervals in “Months”	475
N-2	Guidelines on Use of Monitoring to Provide Inspection Data	476
P-1	Plunger Gripper Stopping Distances With Rated Load in the Car (8.6.5.16.4)	483
Q-1	484
R-1	Inspection Operation and Hoistway Access Switch Operation Hierarchy	488
U-1	Design Requirements — Traction Elevator Suspension System	506
X-1	Acceptance Test for Electric Elevators	510
X-2	Acceptance Test for Hydraulic Elevators	511
X-3	Acceptance Test for Escalators	512
X-4	Acceptance Test for Moving Walks	513
Y-1	Maintenance Control Program Records	516
Z-1	Mass and Closing Time of Horizontally Sliding Elevator Doors	518
AA-1	Checklist for Firefighters’ Emergency Operation	520