# **Test Uncertainty**

#### **Performance Test Codes**

AN AMERICAN NATIONAL STANDARD



## **ASME PTC 19.1-2013**

(Revision of ASME PTC 19.1-2005)

# **Test Uncertainty**

### **Performance Test Codes**

AN AMERICAN NATIONAL STANDARD



Date of Issuance: May 30, 2014

This Code will be revised when the Society approves the issuance of a new edition.

ASME issues written replies to inquiries concerning interpretations of technical aspects of this Code. Interpretations are published on the Committee Web page under go.asme.org/InterpsDatabase. Periodically certain actions of the ASME PTC Committee may be published as Cases. Cases are published on the ASME Web site under the PTC Committee Pages at go.asme.org/PTCcommittee as they are issued.

Errata to codes and standards may be posted on the ASME Web site under the Committee Pages to provide corrections to incorrectly published items, or to correct typographical or grammatical errors in codes and standards. Such errata shall be used on the date posted.

The PTC Committee Page can be found at go.asme.org/PTCcommittee. There is an option available to automatically receive an e-mail notification when errata are posted to a particular code or standard. This option can be found on the appropriate Committee Page after selecting "Errata" in the "Publication Information" section.

ASME is the registered trademark of The American Society of Mechanical Engineers.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not "approve," "rate," or "endorse" any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assumes any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

No part of this document may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

The American Society of Mechanical Engineers Two Park Avenue, New York, NY 10016-5990

Copyright © 2014 by THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS All rights reserved Printed in U.S.A.

#### **CONTENTS**

| Notice                                       |   | vi   |
|--|---|--|
| Foreword                                     |   | vii  |
| Committee                                    | Roster  | viii   |
| Correspond                                   | ence With the PTC Committee   | ix   |
| <b>Section 1</b> 1-1                         | Introduction  | 1<br>1                                       |
| 1-2<br>1-3<br>1-4<br>1-5                     | Uncertainty Classifications Advantages of Using This Code Applications Disclaimer   | 1<br>1<br>1<br>2                             |
| <b>Section 2</b> 2-1 2-2                     | Object and Scope Object Scope   | 3<br>3<br>3                                  |
| <b>Section 3</b> 3-1 3-2                     | Nomenclature and Glossary  Nomenclature Glossary  | 4<br>4<br>4                                  |
| <b>Section 4</b> 4-1 4-2 4-3 4-4             | Fundamental Concepts  Assumptions  Measurement Error  Measurement Uncertainty  Pretest and Post-Test Uncertainty Analyses   | 6<br>6<br>6<br>11                            |
| <b>Section 5</b> 5-1 5-2 5-3 5-4 5-5         | Defining the Measurement Process  Overview  Selection of the Appropriate "True Value"  Identification of Error Sources  Categorization of Uncertainties  Comparative Testing  | 13<br>13<br>13<br>13<br>14<br>15             |
| <b>Section 6</b> 6-1 6-2 6-3 6-4             | Uncertainty of a Measurement  Random Standard Uncertainty of the Mean  Systematic Standard Uncertainty of a Measurement  Classification of Uncertainty Sources  Combined Standard and Expanded Uncertainty of a Measurement                       | 17<br>17<br>18<br>18<br>19                   |
| <b>Section 7</b> 7-1 7-2 7-3 7-4 7-5         | Uncertainty of a Result Propagation of Measurement Uncertainties Into a Result Sensitivity Random Standard Uncertainty of a Result Systematic Standard Uncertainty of a Result Combined Standard Uncertainty and Expanded Uncertainty of a Result | 21<br>21<br>21<br>22<br>22<br>23             |
| <b>Section 8</b> 8-1 8-2 8-3 8-4 8-5 8-6 8-7 | Additional Uncertainty Considerations Correlated Errors Nonsymmetric Systematic Uncertainty Fossilization of Calibrations Spatial Variations Analysis of Redundant Means Regression Uncertainty Simplified Uncertainty Analysis for Calibrations  | 24<br>24<br>28<br>32<br>33<br>34<br>35<br>37 |

| <b>Section 9</b> 9-1 9-2    | General Considerations  | 40<br>40<br>40 |
|-----------------------------|---|----------------|
| <b>Section 10</b> 10-1 10-2 | Combined Cycle Performance Uncertainty  | 42<br>42<br>52 |
| 10-3<br>10-4                | Flow Measurement Using Pitot Tubes  | 54<br>59       |
| 10-5<br>10-6                |   | 62<br>71       |
| Section 11                  | References  | 79             |
| Section 12                  | Additional References   | 81             |
| Figures                     |   |                |
| 4-2-1<br>4-2-2<br>4-3.1-1   | Illustration of Measurement Errors  Measurement Error Components  Population Distribution                             | 7 8            |
| 4-3.3-1                     | Uncertainty Interval  | 12             |
| 5-3.1-1                     | Generic Measurement Calibration Hierarchy   | 14             |
| 5-4.3-1<br>8-2.1-1          | "Within" and "Between" Sources of Data Scatter  | 16<br>29       |
| 8-2.1-1                     | Rectangular Distribution for Nonsymmetric Systematic Errors   | 29             |
| 8-2.1-3                     | Triangular Distribution for Nonsymmetric Systematic Errors  | 29             |
| 8-2.1-4                     | , ,   | 31             |
| 8-5-1                       | 1   | 34             |
| 10-1.1-1                    |   | 43             |
| 10-3.1-1                    |   | 55             |
| 10-5.1-1                    |   | 67             |
| 10-5.3.3-1                  |   | 70             |
| 10-6.1-1                    |   | 72             |
| 10-6.1-2                    | Pump Design Curve With Factory and Field Test Data Shown  | 73             |
| 10-6.1-3                    | Comparison of Test Results With Independent Control Conditions  | 73             |
| 10-6.2-1                    | Comparison of Test Results Using the Initial Field Test as the Control  | 77             |
| Tables                      |   |                |
| 6-4.1-1                     | Circulating Water-Bath Temperature Measurements   | 20             |
| 6-4.1-2                     | Systematic Standard Uncertainty of Average Circulating Water-Bath Temperature Measurement                             | 20             |
| 8-1                         |   | 25             |
| 8-2.1-1                     | Expressions for <i>q</i> for the Gaussian, Rectangular, and Triangular Distributions in Figs. 8-2.1-1 Through 8-2.1-3 | 29             |
| 8-2.1-2                     |   | 30             |
| 8-6.4.5-1                   | 0 1   | 37             |
| 9-2-1                       | · 1   | 41             |
| 9-2-2<br>10-1.6-1           | Combined Cycle Net Facility Electrical Output Uncertainty Including the   | 41             |
| 10-1.6-2                    | Combined Cycle Net Facility Heat Rate Uncertainty Including the   | 48             |
| 10-1.6-3                    | Combined Cycle Net Facility Electrical Output Uncertainty Excluding the   | <b>5</b> 0     |
| 10-1.6-4                    | Combined Cycle Net Facility Heat Rate Uncertainty Excluding the   | 51             |

| 10-2.2-1   | Test Pressure Data for an Orifice Measuring Flow in a Pipe             | 52  |
|------------|--|-----|
| 10-2.5-1   | Individual Delta Pressure Measurements                                 | 54  |
| 10-3.2-1   | Average Values at Each Traverse Circumferential and Radial Location    | 56  |
| 10-3.3-1   | Standard Deviations at Each Traverse Circumferential and Radial        |     |
|            | Location   | 56  |
| 10-3.3-2   | Summarized Average Circumferential Velocities and Grand Average        |     |
|            | Velocity   | 56  |
| 10-3.6-1   | Random Standard Uncertainty for Both Average Circumferential           |     |
|            | Velocities and Grand Average Velocity                                  | 57  |
| 10-3.7.1-1 | Systematic Standard Uncertainty for Average Circumferential Velocities | 58  |
| 10-3.7.1-2 | Systematic Standard Uncertainty Due to Instrumentation Sources for     |     |
|            | Grand Average Circumferential Velocities                               | 58  |
| 10-3.9-1   | Components of Uncertainty in the Grand Average Pipe Velocity           | 60  |
| 10-4.3.2-1 | Identification of Parameters   | 61  |
| 10-4.3.3-1 | Calculated Sensitivities of Each Parameter                             | 63  |
| 10-4.4-1   | Random Standard Uncertainty Estimated for Each Parameter               | 64  |
| 10-4.5-1   | Systematic Standard Uncertainty Estimated for Each Parameter           | 65  |
| 10-4.5-2   | Identified Elemental Uncertainty Components and Values That Are        |     |
|            | Assumed to Be the Same for Each Parameter                              | 65  |
| 10-4.5-3   | Combined Standard Uncertainty and Expanded Uncertainty of the          |     |
|            | Result   | 66  |
| 10-5.2-1   | Measured Values and Statistical Properties                             | 68  |
| 10-5.4-1   | Estimated Values, Standard Uncertainties, and Calculated Sensitivities | 70  |
| 10-5.5-1   | Standard Uncertainties, Combined Standard Uncertainty, and Expanded    |     |
|            | Uncertainty of the Result  | 72  |
| 10-6.1-1   | Pump Design Data ( $T_c = 20^{\circ}\text{C}$ )                        | 72  |
| 10-6.1-2   | Summary of Test Results  | 72  |
| 10-6.2-1   | Uncertainty Propagation for Comparison With Independent Control        | 76  |
| 10-6.2-2   | Summary Uncertainties  | 76  |
| 10-6.2-3   | Summary of Results for Each Test                                       | 76  |
| 10-6.3-1   | Uncertainty Propagation for Comparative Uncertainty Analysis           | 77  |
| 10-6.3-2   | Correlated Terms for Comparative Uncertainty Analysis                  | 78  |
| Nonmandato | ry Appendices  |     |
| A          | Statistical Considerations   | 83  |
| В          | Guidelines for Degree of Freedom and Confidence Intervals              | 93  |
| C          | Propagation of Uncertainty Through Taylor Series                       | 95  |
| D          | The Central Limit Theorem  | 99  |
| E          | General Regression Uncertainty   | 100 |
|            |  |     |