ASME B30.26-2026
[Revision of ASME B30.26-2015 (R2020)]

Rigging Hardware

Safety Standard for Cableways, Cranes, Derricks, Hoists, Hooks, Jacks, and Slings

AN AMERICAN NATIONAL STANDARD

The American Society of Mechanical Engineers

ASME B30.26-2026
[Revision of ASME B30.26-2015 (R2020)]

Rigging Hardware

Safety Standard for Cableways, Cranes, Derricks, Hoists, Hooks, Jacks, and Slings

AN AMERICAN NATIONAL STANDARD

The American Society of Mechanical Engineers
Two Park Avenue • New York, NY • 10016 USA

Date of Issuance: February 26, 2026

The next edition of this Standard is scheduled for publication in 2031. This Standard will become effective 1 year after the Date of Issuance.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The standards committee that approved the code or standard was balanced to ensure that individuals from competent and concerned interests had an opportunity to participate. The proposed code or standard was made available for public review and comment, which provided an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not "approve," "certify," "rate," or "endorse" any item, construction, proprietary device, or activity. ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor does ASME assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representatives or persons affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

The endnotes and preamble in this document (if any) are part of this American National Standard.

ASME Collective Membership Mark

All rights reserved. "ASME" and the above ASME symbol are registered trademarks of The American Society of Mechanical Engineers. No part of this document may be copied, modified, distributed, published, displayed, or otherwise reproduced in any form or by any means, electronic, digital, or mechanical, now known or hereafter invented, without the express written permission of ASME. No works derived from this document or any content therein may be created without the express written permission of ASME. Using this document or any content therein to train, create, or improve any artificial intelligence and/or machine learning platform, system, application, model, or algorithm is strictly prohibited.

The American Society of Mechanical Engineers
Two Park Avenue, New York, NY 10016-5990

Copyright © 2026 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
Printed in U.S.A.

CONTENTS

Foreword vi
Committee Roster viii
Correspondence With the B30 Committee x
B30 Standard Introduction xi
Summary of Changes xiii

Chapter 26-0 Scope, Definitions, Personnel Competence, Translations, and References 1
Section 26-0.1 Scope 1
Section 26-0.2 Definitions 1
Section 26-0.3 Personnel Competence 2
Section 26-0.4 Translations 2
Section 26-0.5 References 2
Chapter 26-1 Shackles — Selection, Use, and Maintenance 3
Section 26-1.0 Scope 3
Section 26-1.1 Types and Materials 3
Section 26-1.2 Design Factor 3
Section 26-1.3 Rated Loads 3
Section 26-1.4 Proof Test 3
Section 26-1.5 Identification 3
Section 26-1.6 Effects of Environment 3
Section 26-1.7 Training 4
Section 26-1.8 Inspection, Repair, and Removal 4
Section 26-1.9 Operating Practices 5
Chapter 26-2 Adjustable Hardware — Selection, Use, and Maintenance 7
Section 26-2.0 Scope 7
Section 26-2.1 Types and Materials 7
Section 26-2.2 Design Factor 7
Section 26-2.3 Rated Loads 7
Section 26-2.4 Proof Test 7
Section 26-2.5 Identification 7
Section 26-2.6 Effects of Environment 7
Section 26-2.7 Training 10
Section 26-2.8 Inspection, Repair, and Removal 10
Section 26-2.9 Operating Practices 12
Chapter 26-3 Compression Hardware — Selection, Use, and Maintenance 14
Section 26-3.0 Scope 14
Section 26-3.1 Types, Materials, and Assembly 14
Section 26-3.2 Design Factor 15
Section 26-3.3 Rated Loads 15

Section 26-3.4 Proof Test 15
Section 26-3.5 Identification 16
Section 26-3.6 Effects of Environment 16
Section 26-3.7 Training 17
Section 26-3.8 Inspection, Repair, and Removal 17
Section 26-3.9 Operating Practices 17
Chapter 26-4 Links, Master Link Subassemblies, Rings, and Swivels 19
Section 26-4.0 Scope 19
Section 26-4.1 Types and Materials 19
Section 26-4.2 Design Factor 19
Section 26-4.3 Rated Loads 19
Section 26-4.4 Proof Test 20
Section 26-4.5 Identification 20
Section 26-4.6 Effects of Environment 20
Section 26-4.7 Training 20
Section 26-4.8 Inspection, Repair, and Removal 21
Section 26-4.9 Operating Practices 21
Chapter 26-5 Rigging Blocks — Selection, Use, and Maintenance 24
Section 26-5.0 Scope 24
Section 26-5.1 Types and Materials 24
Section 26-5.2 Design Factor 24
Section 26-5.3 Rated Loads 24
Section 26-5.4 Proof Test 24
Section 26-5.5 Identification 24
Section 26-5.6 Effects of Environment 24
Section 26-5.7 Training 28
Section 26-5.8 Inspection, Repair, and Removal 28
Section 26-5.9 Operating Practices 28
Chapter 26-6 Detachable Load-Indicating Devices — Selection, Use, and Maintenance 30
Section 26-6.0 Scope 30
Section 26-6.1 Types and Materials 30
Section 26-6.2 Design Factor 30
Section 26-6.3 Rated Loads 30
Section 26-6.4 Proof Test 30
Section 26-6.5 Identification 30
Section 26-6.6 Effects of Environment 30
Section 26-6.7 Training 31
Section 26-6.8 Calibration, Inspection, Repair, and Removal 31
Section 26-6.9 Operating Practices 33

Figures

26-1.1.1-1 Shackle Types 4
26-1.9.1-1 Angle of Loading (Shackles) 5
26-1.9.4-1 Typical Shackle Components 6
26-1.9.4-2 Side Loading 6

26-2.1.1-1	Turnbuckles	8
26-2.1.1-2	Eyebolts	9
26-2.1.1-3	Eye Nuts	10
26-2.1.1-4	Swivel Hoist Rings	11
26-2.9.1-1	Angle of Loading (Adjustable Hardware)	12
26-3.1.1-1	Wire Rope Clips	15
26-3.1.1-2	Wedge Sockets	16
26-4.1.1-1	Links and Rings	19
26-4.1.1-2	Swivels	20
26-4.9.1-1	Angle of Loading (Links, Master Link Subassemblies, Rings, and Swivels)	22
26-5.1.1-1	Rigging Block Types	25
26-5.1.1-2	Typical Rigging Block Components	26
26-5.3-1	Block Load Factor Multipliers	27
26-6.1.1-1	Crane Scale — Dynamometer	31
26-6.1.1-2	Link Style Load-Indicating Device	32
26-6.1.1-3	Shackle With Load-Indicating Pin	32