CSA B44.1:25/ASME A17.5-2025

Elevator and escalator electrical equipment



Legal Notice for Harmonized Standard Jointly Developed by ASME and CSA Group

Intellectual property rights and ownership

As between American Society of Mechanical Engineers ("ASME") and Canadian Standards Association (Operating as "CSA Group") (collectively "ASME and CSA Group") and the users of this document (whether it be in printed or electronic form), ASME and CSA Group are the joint owners of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. The unauthorized use, modification, copying, or disclosure of this document may violate laws that protect the intellectual property of ASME and CSA Group and may give rise to a right in ASME and CSA Group to seek legal redress for such use, modification, copying, or disclosure. ASME and CSA Group reserve all intellectual property rights in this document.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document's fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party's intellectual property rights. ASME and CSA Group do not warrant the accuracy, completeness, or currency of any of the information published in this document. ASME and CSA Group make no representations or warranties regarding this document's compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL ASME AND CSA GROUP, THEIR RESPECTIVE VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF ASME OR CSA GROUP HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, ASME and CSA Group are not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and ASME and CSA Group accept no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

ASME and CSA Group have no power, nor do they undertake, to enforce compliance with the contents of the standards or other documents they jointly publish.

Authorized use of this document

This document is being provided by ASME and CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by ASME and CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from ASME and CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.

ASME
SETTING THE STANDARD

CSA GROUP™

Standards Update Service

CSA B44.1:25/ASME A17.5-2025
March 2025

Title: *Elevator and escalator electrical equipment*

To register for e-mail notification about any updates to this publication go to updates.csagroup.org.

The **List ID** that you will need to register for updates to this publication is **2431676**.

If you require assistance, please e-mail techsupport@csagroup.org or call 416-747-2233.

Visit CSA Group's policy on privacy at www.csagroup.org/legal to find out how we protect your personal information.

Canadian Standards Association (operating as "CSA Group"), under whose auspices this National Standard has been produced, was chartered in 1919 and accredited by the Standards Council of Canada to the National Standards system in 1973. It is a not-for-profit, nonstatutory, voluntary membership association engaged in standards development and certification activities.

CSA Group standards reflect a national consensus of producers and users — including manufacturers, consumers, retailers, unions and professional organizations, and governmental agencies. The standards are used widely by industry and commerce and often adopted by municipal, provincial, and federal governments in their regulations, particularly in the fields of health, safety, building and construction, and the environment.

More than 10 000 members indicate their support for CSA Group's standards development by volunteering their time and skills to Committee work.

CSA Group offers certification and testing services in support of and as an extension to its standards development activities. To ensure the integrity of its certification process, CSA Group regularly and continually audits and inspects products that bear the CSA Group Mark.

In addition to its head office and laboratory complex in Toronto, CSA Group has regional branch offices in major centres across Canada and inspection and testing agencies in fourteen countries. Since 1919, CSA Group has developed the necessary expertise to meet its corporate mission: CSA Group is an independent service organization whose mission is to provide an open and effective forum for activities facilitating the exchange of goods and services through the use of standards, certification and related services to meet national and international needs.

For further information on CSA Group services, write to
CSA Group
178 Rexdale Boulevard
Toronto, Ontario, M9W 1R3
Canada

A National Standard of Canada is a standard developed by a Standards Council of Canada (SCC) accredited Standards Development Organization, in compliance with requirements and guidance set out by SCC. More information on National Standards of Canada can be found at www.scc.ca.

SCC is a Crown corporation within the portfolio of Innovation, Science and Economic Development (ISED) Canada. With the goal of enhancing Canada's economic competitiveness and social wellbeing, SCC leads and facilitates the development and use of national and international standards. SCC also coordinates Canadian participation in standards development, and identifies strategies to advance Canadian standardization efforts.

Accreditation services are provided by SCC to various customers, including product certifiers, testing laboratories, and standards development organizations. A list of SCC programs and accredited bodies is publicly available at www.scc.ca.

Standards Council of Canada
600-55 Metcalfe Street
Ottawa, Ontario, K1P 6L5
Canada

Cette Norme Nationale du Canada n'est disponible qu'en anglais.

Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users to judge its suitability for their particular purpose.

™A trademark of the Canadian Standards Association, operating as "CSA Group"

National Standard of Canada
American National Standard

CSA/ASME Standard

CSA B44.1:25/ASME A17.5-2025
Elevator and escalator electrical equipment

®A trademark of the Canadian Standards Association
and CSA America Inc., operating as "CSA Group"

Approved on March 12, 2025 by ANSI
Published in March 2025 by CSA Group
A not-for-profit private sector organization
178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3
1-800-463-6727 • 416-747-4044

Visit the CSA Group Online Store at www.csagroup.org/store/

The American Society of Mechanical Engineers (ASME)
Two Park Avenue
New York, NY 10016-5990, USA
1-800-843-2763

Visit the ASME Online Store at www.asme.org

Commitment for Amendments

This Standard is issued jointly by the American Society of Mechanical Engineers (ASME) and the Canadian Standards Association (Operating as "CSA Group"). Amendments to this Standard will be made only after processing according to the Standards writing procedures of both ASME and CSA Group.

The American Society of Mechanical Engineers (ASME)
Two Park Avenue
New York, NY 10016-5990
USA
1-800-843-2763
Visit the ASME Online Store at
www.asme.org

ISBN 978-0-7918-7746-3
Copyright © 2025 by The American Society of Mechanical Engineers (ASME)

This Standard is available for public review on a continuous basis. This provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public at large.



All rights reserved. "ASME" and the above ASME symbol are registered trademarks of The American Society of Mechanical Engineers. No part of this document may be copied, modified, distributed, published, displayed, or otherwise reproduced in any form or by any means, electronic, digital, or mechanical, now known or hereafter invented, without the express written permission of ASME. No works derived from this document or any content therein may be created without the express written permission of ASME. Using this document or any content therein to train, create, or improve any artificial intelligence and/or machine learning platform, system, application, model, or algorithm is strictly prohibited.

Published in March 2025 by
CSA Group
A not-for-profit private sector organization
178 Rexdale Boulevard
Toronto, Ontario, Canada
M9W 1R3
1-800-463-6727 or 416-747-4044
Visit the CSA Group Online Store at
www.csagroup.org/store/

ISBN 978-1-4883-5266-9
ICS 91.140.90
© 2025 Canadian Standards Association

All rights reserved. No part of this publication may be reproduced in any form whatsoever without the prior permission of the publisher.

Contents

CSA Technical Committee on the Elevator Safety Code 7

ASME A17 Standards Committee on Elevators and Escalators 12

CSA B44.1/ASME A17.5 Joint Committee on Elevator and Escalator Electrical Equipment 16

Preface 18

1 Scope 21
1.1 Electrical equipment covered by this Standard 21
1.1.1 Application 21
1.1.2 Types of electrical equipment 21
1.2 Maximum voltage and ambient temperatures 21
1.3 Fire and electrical shock hazards 22
1.4 Terminology 22
1.5 Units 22

2 Reference publications, definitions, and abbreviations 22
2.1 Reference publications 22
2.2 Definitions 24
2.3 Abbreviations 27

3 Construction 28
3.1 Electrical components 28
3.2 Component without an appropriate standard 28
3.3 Circuits directly connected to a telecommunication network 28
3.4 Battery powered platform lifts and stair lifts for barrier-free access 29
3.5 Short-circuit current rating 29
3.5.1 General 29
3.5.2 Short-circuit current rating for an assembly in Canada 29
3.5.3 Short-circuit current rating for an assembly in the U.S. 29

4 Enclosure construction 29
4.1 General 29
4.1.1 Enclosure strength and rigidity 29
4.1.2 Risk of unintentional contact 29
4.2 Thickness of cast-metal enclosures for live parts 29
4.2.1 General 29
4.2.2 Minimum thickness requirements 30
4.2.3 Exceptions to minimum thickness requirements 30
4.3 Thickness of sheet-metal enclosures for live parts 30
4.3.1 Minimum thickness requirements 30
4.3.2 Exceptions to minimum thickness requirements 30
4.3.3 Supporting frame 30

5 Doors and covers 31
5.1 Securement 31

© 2025 The American Society of Mechanical Engineers
© 2025 Canadian Standards Association

5.2 Preventing contact with live parts *31*
5.3 Equipment accessible to general public (AGP) *31*

6 Polymeric enclosures *31*
6.1 Conduit connection test *31*
6.2 Thickness *31*
6.3 Polymeric enclosure requirements *31*
6.3.1 Flame rating *31*
6.3.2 Criteria for Flame Tests A and B *32*
6.4 Polymeric materials used outside a protective or fire enclosure *32*
6.4.1 Flame rating *32*
6.4.2 Non-metallic plug or other closure means assembled to a sheet-metal box *32*
6.5 Impact tests *33*
6.6 Insulating material *33*
6.7 Bonding requirements *33*
6.8 Bonding conductors *33*
6.9 Bonding conductor minimum size *33*

7 Openings in enclosures *34*
7.1 Requirements for all enclosures *34*
7.1.1 Openings *34*
7.1.2 Probe test *34*
7.1.3 Usage of probe *34*
7.1.4 Dimension of an opening *34*
7.1.5 Bottom of the enclosure *34*
7.1.6 Opening on the bottom of the enclosure *34*
7.1.7 Wires of a screen *34*
7.1.8 Metal mesh *35*
7.1.9 Glass covering an observation opening and forming a part of the enclosure *35*
7.2 Requirements for equipment enclosures marked in accordance with Clause 20.23 *35*

8 Wire-bending space *35*
8.1 General *35*
8.2 When a wire is restricted by a barrier or obstruction from being bent *35*
8.3 Wire-bending space measurement exclusions *36*
8.4 Wire size *36*

9 Enclosures with environmental ratings *36*

10 Protection against corrosion *36*

11 Insulating material *36*
11.1 General *36*
11.2 Flame ratings *36*
11.3 Insulating materials *36*
11.4 Printed circuit board and coating *36*

12 Protective devices *37*
12.1 Overcurrent protection *37*
12.2 Number, arrangement, and ratings or settings of protective devices *37*

© 2025 The American Society of Mechanical Engineers
© 2025 Canadian Standards Association

12.2.1 General *37*
12.2.2 When a short circuit rating is greater than 10 000 A *37*
12.3 Supplementary overcurrent protection *37*
12.4 Disconnecting means *37*
12.4.1 General *37*
12.4.2 Mounting of a single throw knife switch *37*
12.4.3 Using a single throw knife switch *37*
12.4.4 Locking the disconnecting means *37*
12.4.5 Interlock *37*
12.4.6 Handle positions *38*
12.4.7 Function of disconnection means *38*
12.4.8 Use of a manual motor controller *38*
12.4.9 Electrical requirements *38*
12.5 Power from more than one source *39*

13 Protection of control circuits *39*
13.1 Control circuit conductor protection *39*
13.2 Control circuit transformer protection *40*
13.2.1 Overcurrent protection *40*
13.2.2 Overcurrent protection exceptions *40*
13.2.3 Secondary protection *40*
13.2.4 Standard rated fuse or circuit breaker *40*
13.2.5 Protection in primary circuit only *40*
13.2.6 Supplementary protectors *40*
13.3 Use of supplementary protectors in control circuits *41*

14 Internal wiring *41*
14.1 General *41*
14.2 Conductors smaller than No. 24 AWG *41*
14.3 Insulation between conductors *42*
14.4 Protection of wiring *42*
14.5 Bare live parts *42*
14.6 Bare conductors *42*

15 Wiring terminals and leads *42*
15.1 General *42*
15.2 Device current rating or hp rating *42*
15.3 Minimum lead sizes *43*
15.4 Field wiring terminal *43*
15.5 Wire-binding screws *43*
15.6 Terminal plates tapped for a wire-bending screw *43*
15.7 Threading depth *43*
15.8 Cord-connected equipment *43*
15.8.1 General *43*
15.8.2 Strain relief *43*

16 Electrical spacings *44*
16.1 General *44*
16.2 When transient voltages are known and controlled *44*
16.3 Transient suppression device *44*

© 2025 The American Society of Mechanical Engineers
© 2025 Canadian Standards Association

16.4 Maintaining electrical surfaces *44*
16.5 Spacing at field wiring terminal *44*
16.6 Spacings for devices with limited ratings *44*
16.7 Spacings for other small devices *44*
16.8 Magnetically operated switches *45*
16.9 Spacings on printed circuit boards *45*
16.10 Spacings for motor controllers rated more than 1 hp at 151 to 300 V *45*
16.11 Spacings for motor controllers rated more than 1 hp at 51 to 150 V *45*
16.12 Spacings for circuits with 50 V or less *45*
16.13 Spacings on pilot light *46*
16.14 Spacings on series circuit *46*
16.15 Spacing on switches *46*
16.16 Spacings on fuses and fuseholders *46*
16.17 Ceramic, vitreous-enamel, or similar coatings *46*
16.18 Spacing on parts in the OFF position *46*
16.19 Enamelled or similar film-coated wires *46*
16.20 Insulating barrier or liner *46*
16.21 Insulating barrier or liner in addition to air space *47*
16.22 Thin insulating material *47*
16.23 Gaskets or seals *47*
16.24 Enclosure without conduit openings or knockouts *47*
16.25 Space between bare live parts and bushing *47*
16.26 Spacing within components *47*
16.26.1 General *47*
16.26.2 Fuseholders *48*
16.27 Alternative methods *48*
16.27.1 General *48*
16.27.2 Spacing between uninsulated live part and metal enclosure wall *48*
16.27.3 Field wiring terminals *48*
16.27.4 Guidelines when using CSA C22.2 No. 0.2 or ANSI/UL 840 *48*

17 Grounding *49*
17.1 General *49*
17.2 Terminations *49*
17.3 Grounding conductors *49*
17.4 Maximum number of conductors *49*
17.5 Grounding conductor size *49*
17.6 Transformers secondary grounding *49*

18 Printed circuit boards *49*
18.1 General *49*
18.2 Printed circuit boards located in Class 2 circuits *49*
18.3 Printed circuit boards located in circuits with extra-low voltage *50*

19 Tests *50*
19.1 General *50*
19.2 Endurance *50*
19.2.1 Elevator duty *50*
19.2.2 Device that does not make or break current *50*

© 2025 The American Society of Mechanical Engineers
© 2025 Canadian Standards Association

19.2.3 Where elevator duty is not required *50*
19.2.4 All other devices *50*
19.3 Solid-state ac motor controller tests *51*
19.3.1 General *51*
19.3.2 Test voltage *51*
19.3.3 Temperature test *51*
19.3.4 Dielectric voltage withstand test *51*
19.3.5 Overvoltage and undervoltage tests *51*
19.3.6 Overload and endurance tests *52*
19.3.7 Exception *52*
19.3.8 Short-circuit test *52*
19.3.9 Breakdown of components test *53*
19.3.10 Verification of electronic motor overload protection test *53*
19.4 Power conversion equipment *53*
19.4.1 General *53*
19.4.2 Temperature test *54*
19.4.3 Dielectric voltage withstand test *54*
19.4.4 Operation tests *54*
19.4.5 Normal operation *55*
19.4.6 Contactor overload *55*
19.4.7 Single phasing *55*
19.4.8 Inoperative blower motor *55*
19.4.9 Clogged filter *55*
19.4.10 Current-limiting control *56*
19.4.11 Breakdown of components *56*
19.4.12 Electronic motor overload protection test *56*
19.4.13 Short-circuit test *58*
19.5 Impact test *58*
19.5.1 General *58*
19.5.2 Cold impact *58*
19.6 Printed circuit board coatings *58*
19.6.1 General *58*
19.6.2 Dielectric strength — New samples *58*
19.6.3 Dielectric strength — Aged samples *59*
19.6.4 Dielectric strength — After humidity conditioning *59*
19.6.5 Adhesion *59*
19.7 Transient-voltage-surge suppression *59*
19.7.1 General *59*
19.7.2 Input and output *59*
19.8 Compression *59*
19.8.1 General *59*
19.8.2 Set-up *59*
19.9 Deflection *60*
19.9.1 General *60*
19.9.2 Set-up *60*
19.10 Cord pullout *60*
19.11 Crushing resistance test *60*
19.11.1 General *60*
19.11.2 Acceptance criteria *60*

© 2025 The American Society of Mechanical Engineers
© 2025 Canadian Standards Association

20 Marking *60*
20.1 French *60*
20.2 General *61*
20.3 Copper or aluminum conductors *61*
20.4 Electrical ratings *61*
20.5 Auxiliary device *62*
20.6 Polymeric enclosures *62*
20.7 Manual switching means *62*
20.8 Equipment with more than one source *62*
20.9 Fuse replacement markings *62*
20.10 Screw-type terminals *62*
20.11 Oil tank *62*
20.12 Enclosures with open bottoms *63*
20.13 Control devices shipped in separate pieces *63*
20.14 A live heat sink and other exposed parts *63*
20.15 Short-circuit current rating *63*
20.16 Overload relay with a replaceable current element *63*
20.17 Grounding conductors No. 6 AWG or smaller *63*
20.18 General caution and warning *64*
20.18.1 General *64*
20.18.2 Language *64*
20.19 Control with dc motor ratings *64*
20.20 Markings for controllers according to Clause 13.1 *64*
20.21 Power conversion equipment *64*
20.21.1 General *64*
20.21.2 Motor overload protection *64*
20.21.3 Motor thermal protectors *65*
20.21.4 Fuse replacement mark *65*
20.21.5 Specific overcurrent protective devices *65*
20.21.6 Wiring diagrams or instruction manuals *65*
20.21.7 Overspeed protection *65*
20.21.8 Electronic over-temperature protection *65*
20.22 Controllers for platform lifts and chair lifts *65*
20.23 Equipment marked with AGP *66*
20.24 Controller with disconnecting means *66*
20.25 Controllers for wind turbine tower elevators *66*
20.26 Controllers for platform lifts or stair lifts for barrier-free access with an emergency power supply *66*

Annex A (informative) — Application examples *93*
Annex B (informative) — CSA Group and ASME elevator and escalator publications *99*
Annex C (normative) — French marking translations *103*

© 2025 The American Society of Mechanical Engineers
© 2025 Canadian Standards Association