

CONTENTS

Foreword	vi
Committee Roster	vii
Correspondence With the A17 Committee	xiii
Preface	xiv
Summary of Changes	xv
Part 1	
Stranded Carbon Steel Wire Ropes for Elevators	1
Section 1.1 Scope	1
Section 1.2 References	1
Section 1.3 Terminology	1
Section 1.4 Material	7
Section 1.5 Rope Workmanship and Finish	8
Section 1.6 Properties and Tolerances of Newly Constructed Rope	9
Section 1.7 Testing and Compliance for Newly Constructed Rope	11
Section 1.8 Ordering Information	12
Section 1.9 Packaging and Identification	12
Section 1.10 Replacement Criteria	13
Part 2	
Reserved For Future Use	17
Part 3	
Noncircular Elastomeric-Coated Steel Suspension Membersfor Elevators	18
Section 3.1 Scope	18
Section 3.2 References	18
Section 3.3 Terminology	18
Section 3.4 Material	19
Section 3.5 Properties and Tolerances	19
Section 3.6 Testing and Compliance	20
Section 3.7 Replacement Criteria	20
Part 4	
Suspension, Safety, and Guide Ropes for Wind Turbine Tower Elevators and Suspension And Governor Ropes for ASME A17.1/csa B44 Part 5, Special Application Elevators	22
Section 4.1 Scope	22
Section 4.2 Terminology	22
Section 4.3 Material	22
Section 4.4 Rope Workmanship and Finish	22
Section 4.5 Properties and Tolerances of Newly Constructed Wire Rope	22
Section 4.6 Testing and Compliance for Newly Constructed Rope	22
Section 4.7 Replacement Criteria	22
Mandatory Appendices	
I Rope Classifications Used in Part 1	25

II	Breaking Force and Diameter Tolerance Tables	43
III	Reference Codes and Standards	50

Nonmandatory Appendix

A	Inspection and Replacement of Steel Wire Ropes	51
---	--	----

Figures

1.3.1.1-1	Elements of Stranded Steel Wire Rope	1
1.3.1.3.2-1	Round Strand	3
1.3.1.3.2-2	Compacted Round Strand: Before and After Compacting	3
1.3.1.3.3-1	Lay Direction of Strands for Stranded Ropes	3
1.3.1.3.4-1	Seale Construction (e.g., 19S, 9-9-1)	3
1.3.1.3.4-2	Warrington Construction [e.g., 19W, (6+6)-6-1]	3
1.3.1.3.4-3	Filler Construction (e.g., 25F, 12-6F-6-1)	3
1.3.1.4-1	Examples of Cores	4
1.3.2.4.2-1	Regular (Ordinary) Lay and Lang Lay	6
1.3.3.1.1-1	Diameter of Round Rope	6
1.3.3.2.1-1	Strand Lay Length	6
1.3.3.2.2-1	Rope Lay Length	6
A-1	Inspection and Replacement of Steel Wire Rope(s)	52

Tables

1.4.1-1	Wire Level or Tensile Strength Grades for Given Rope Grades	7
1.4.1.1-1	Wire Level or Tensile Strength Grade Requirements	8
1.4.1.1-2	Wire Torsion Requirements	8
1.6.4.1-1	Weight of Coating for Drawn-Galvanized or Drawn-Coated Zn-5Al-MM Rope Wire for Newly Constructed Rope	10
1.6.6.1.1-1	Tolerances on Rope Diameter (Stranded Rope) for Newly Constructed Rope With Cores of Fiber or Other Nonmetallic Materials	10
1.6.6.1.1-2	Tolerances on Rope Diameter (Stranded Rope) for Newly Constructed Rope With Steel or Steel-Based Composite Cores	10
1.6.6.1.2-1	Permissible Differences in Rope Diameter for Newly Constructed Rope	11
1.8.1-1	Ordering Information	13
1.10.1.2-1	Wire Breaks: Crown Wire Breaks Per Lay Length	14
1.10.3-1	Minimum Diameter	16
3.5.7-1	Tolerances on Nominal Noncircular Elastomeric-Coated Steel Suspension Members Sizes	19
4.7.3-1	Wire Breaks: Crown Wire Breaks per Lay Length	23
4.7.4-1	Minimum Diameter	23
I-1-1	Classification 6 × 19 FC, Round Strand, Fiber Core or Polymer Core	26
I-1-2	Classification 8 × <i>n</i> , Round Strand, Fiber Core or Polymer Core	28
I-1-3	Classification 8 × <i>n</i> , Round Strand, Steel Core, IWRC	30
I-1-4	Classification 8 × <i>n</i> , Round Strand, Steel Core, PWRC	32
I-1-5	Classification 8 × <i>n</i> , Round Strand, Composite Steel Core (CSC)	34
I-1-6	Classification 9 × <i>n</i> , Round Strand, Steel Core (IWRC)	36
I-1-7	Classification 9 × <i>n</i> , Round Strand, Steel Core (PWRC)	38
I-1-8	Classification 9 × <i>n</i> , Round Strand, Composite Steel Core (CSC)	40

I-1-9	Classification 6 × 19, Round Strand, Steel Cores	42
II-1-1	Construction 5 × 19 Fiber Core or Polymer Core	43
II-1-2	Construction 5 × 26 Fiber Core or Polymer Core	44
II-1-3	Construction 6 × 19 Independent Wire Rope Core	45
II-1-4	Construction 18 × 7 Fiber Core	46
II-1-5	Construction 4 × 26 Fiber Core or Polymer Core	47
II-1-6	Construction 7 × 19 Strand Core	48
II-1-7	Construction 6 × 26 Fiber Core or Polymer Core	49