

ASME A90.1-2015
(Revision of ASME A90.1-2009)

Safety Standard for Belt Manlifts

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**

ASME A90.1-2015
(Revision of ASME A90.1-2009)

Safety Standard for Belt Manlifts

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**

Two Park Avenue • New York, NY • 10016 USA

Date of Issuance: February 27, 2015

The next edition of this Standard is scheduled for publication in 2020. This Standard will become effective 1 year after the Date of Issuance. There will be no written interpretations of the requirements of this Standard issued to this edition.

Errata to codes and standards may be posted on the ASME Web site under the Committee Pages to provide corrections to incorrectly published items, or to correct typographical or grammatical errors in codes and standards. Such errata shall be used on the date posted.

The Committee Pages can be found at <http://cstools.asme.org/>. There is an option available to automatically receive an e-mail notification when errata are posted to a particular code or standard. This option can be found on the appropriate Committee Page after selecting “Errata” in the “Publication Information” section.

ASME is the registered trademark of The American Society of Mechanical Engineers.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not “approve,” “rate,” or “endorse” any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assumes any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

No part of this document may be reproduced in any form,
in an electronic retrieval system or otherwise,
without the prior written permission of the publisher.

The American Society of Mechanical Engineers
Two Park Avenue, New York, NY 10016-5990

Copyright © 2015 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All rights reserved
Printed in U.S.A.

CONTENTS

Foreword	iv
Committee Roster	v
Correspondence With the A90 Committee	vi
Summary of Changes	vii
1 General	1
2 References	1
3 Definitions	1
4 General Requirements	2
5 Mechanical Requirements	11
6 Instruction and Warning Signs	19
7 Operating Rules	20
8 Tests and Inspections	20
Figures	
1 Typical Floor Openings [for 14-in. (355-mm) Belts]	3
2 Guardrail and Wall	4
3 Guardrail or Screened Enclosure	5
4 Example of Maze Entrance to Manlift	6
5 Fixed-Type Underfloor Hoods and Guardrail	8
6 Typical Pit Location Detail (for New Installations)	9
7 Typical Lower Landing Detail	10
8 Head Shaft Dimensions — Top Landing	12
9 Distance Between Handhold and Step	13
10 Typical Butt Splice Detail	15
11 Typical Lap Splice Detail	16
12 Typical Mechanical Splice Detail	17
Tables	
1 Allowable Size for Floor Openings	2
2 Rubber Manufacturers Association Tolerances for Width of Belting	14
3 Belt Breaking Strength	14
4 Minimum Number of Bolts	14
Mandatory Appendices	
I Recommended Training Program for Manlift Passengers	23
II Belt Manlift Inspection Report (Weekly and Monthly)	24