

ASME Y14.45-2021

Measurement Data Reporting

**Engineering Product Definition and
Related Documentation Practices**

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**

ASME Y14.45-2021

Measurement Data Reporting

**Engineering Product Definition and
Related Documentation Practices**

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**

Two Park Avenue • New York, NY • 10016 USA

Date of Issuance: December 31, 2021

This Standard will be revised when the Society approves the issuance of a new edition.

Periodically certain actions of the ASME Y14 Committee may be published as Cases. Cases are published on the ASME website under the Y14 Committee Page at <http://go.asme.org/Y14committee> as they are issued.

Errata to codes and standards may be posted on the ASME website under the Committee Pages to provide corrections to incorrectly published items, or to correct typographical or grammatical errors in codes and standards. Such errata shall be used on the date posted.

The Y14 Committee Page can be found at <http://go.asme.org/Y14committee>. There is an option available to automatically receive an e-mail notification when errata are posted to a particular code or standard. This option can be found on the appropriate Committee Page after selecting "Errata" in the "Publication Information" section.

ASME is the registered trademark of The American Society of Mechanical Engineers.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not "approve," "rate," or "endorse" any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

No part of this document may be reproduced in any form,
in an electronic retrieval system or otherwise,
without the prior written permission of the publisher.

The American Society of Mechanical Engineers
Two Park Avenue, New York, NY 10016-5990

Copyright © 2021 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All Rights Reserved
Printed in U.S.A.

CONTENTS

Foreword		vii
Committee Roster		viii
Correspondence With the Y14 Committee		ix
Section 1	General	1
1.1	Scope	1
1.2	Structure of the Standard	1
1.3	ASME Y14 Series Conventions	1
1.4	Reference to This Standard	2
1.5	Dimensioning and Tolerancing	2
1.6	Specifications Not Addressed by This Standard	3
Section 2	References	4
2.1	Introduction	4
2.2	References	4
Section 3	Definitions	5
Section 4	Measurement Data for Dimensioning and Tolerancing	10
4.1	General	10
4.2	Uncertainty of Reported Measurement Data and Associated Terminology	10
4.3	Significant Digits for Reported Measurement Data	10
4.4	Characteristic Identifier	10
4.5	Measurement Data Reporting Methods	10
4.6	Deviations From the Requirements of This Standard	11
4.7	ASME Y14.45 Data Report Format	11
4.8	Acronyms and Abbreviations for Characteristic Type	11
Section 5	Measurement Data Reporting for Size Tolerances	13
5.1	General	13
5.2	Method B Data for Size Tolerances	13
5.3	Where Perfect Form at MMC Applies	13
5.4	Where Perfect Form at LMC Applies	13
5.5	Size When Perfect Form Is Not Required at Either MMC or LMC	14
Section 6	Measurement Data Reporting for Form Tolerances	17
6.1	General	17
6.2	Method B Data for Straightness Tolerances	17
6.3	Method B Data for Flatness Tolerances	19
6.4	Method B Data for Circularity Tolerances	21
6.5	Method B Data for Cylindricity Tolerances	21
Section 7	Measurement Data Reporting for Orientation Tolerances	36
7.1	General	36
7.2	Method B Data for Orientation Tolerances	36

Section 8	Measurement Data Reporting for Position Tolerances	48
8.1	General	48
8.2	Method C Location Components for Position	48
8.3	Method B Data for Position Tolerances	48
Section 9	Measurement Data Reporting for Profile Tolerances	68
9.1	General	68
9.2	Profile of a Line Data	68
9.3	Profile of a Surface Data	68
9.4	Profile of a Line or Profile of a Surface Data When the Dynamic Tolerance Zone Modifier Is Specified	69
Section 10	Measurement Data Reporting for Runout Tolerances	76
10.1	General	76
10.2	Circular Runout	76
10.3	Total Runout	76
Section 11	Measurement Data Reporting for Patterns of Features	79
11.1	General	79
11.2	Patterns of Features	79
11.3	Reduced Reporting of Method B Data for Patterns of Features	79
11.4	Datum Reference Frame Shift and Simultaneous Requirements	79
11.5	Lower Segments of a Composite Feature Control Frame	79
Section 12	Measurement Data Reporting for Features That Are Not Orthogonal to the Datum Reference Frame	93
12.1	General	93
12.2	Data Reporting Using Reporting Coordinate Systems for Features Not Orthogonal to the Datum Reference Frame	93
 Mandatory Appendix		
I	Reasons Characteristic Identifiers Shall Not Be Applied to Basic Dimensions	96
 Nonmandatory Appendix		
A	Examples of Method C Data	98
 Figures		
4-1	ASME Y14.45 Data Report Format	12
5-1	Size When Perfect Form at MMC Applies	14
5-2	Example Measurement Data Report for Figure 5-1	14
5-3	Size When Perfect Form at LMC Applies	15
5-4	Example Measurement Data Report for Figure 5-3	15
5-5	Size Where Perfect Form Is Not Required at Either MMC or LMC	16
5-6	Example Measurement Data Report for Figure 5-5	16
6-1	Straightness of Line Elements	22
6-2	Example Data Report for Figure 6-1	22
6-3	Straightness of a Derived Median Line at RFS	23
6-4	Example Data Report for Figure 6-3	23
6-5	Straightness of a Derived Median Line at MMC, Resolved Geometry Method	24
6-6	Example Data Report for Figure 6-5	24

6-7	Straightness of a Derived Median Line at MMC, Surface Method	25
6-8	Example Data Report for Figure 6-7	25
6-9	Straightness of a Derived Median Line at LMC, Resolved Geometry Method	26
6-10	Example Data Report for Figure 6-9	26
6-11	Straightness of a Derived Median Line at LMC, Surface Method	27
6-12	Example Data Report for Figure 6-11	27
6-13	Flatness of a Surface	28
6-14	Example Data Report for Figure 6-13	28
6-15	Flatness of a Derived Median Plane at RFS	29
6-16	Example Data Report for Figure 6-15	29
6-17	Flatness at MMC, Resolved Geometry Method	30
6-18	Example Data Report for Figure 6-17	30
6-19	Flatness of a Derived Median Plane at MMC, Surface Method	31
6-20	Example Data Report for Figure 6-19	31
6-21	Flatness of a Derived Median Plane at LMC, Resolved Geometry Method	32
6-22	Example Data Report for Figure 6-21	32
6-23	Flatness at LMC, Surface Method	33
6-24	Example Data Report for Figure 6-23	33
6-25	Circularity	34
6-26	Example Data Report for Figure 6-25	34
6-27	Cylindricity	35
6-28	Example Data Report for Figure 6-27	35
7-1	Perpendicularity for a Planar Surface	39
7-2	Example Data Report for Figure 7-1	39
7-3	Perpendicularity With a Tangent Plane Modifier for a Planar Surface	40
7-4	Example Data Report for Figure 7-3	40
7-5	Perpendicularity of Linear Surface Elements	41
7-6	Example Data Report for Figure 7-5	42
7-7	Angularity of the Axis of a Hole at RFS	43
7-8	Example Data Report for Figure 7-7	43
7-9	Perpendicularity at MMC Applied to the Axis of a Hole, Resolved Geometry Method . . .	44
7-10	Example Data Report for Figure 7-9	44
7-11	Perpendicularity at MMC Applied to the Axis of a Hole, Surface Method	45
7-12	Example Data Report for Figure 7-11	45
7-13	Perpendicularity at LMC Applied to the Axis of a Hole, Resolved Geometry Method . . .	46
7-14	Example Data Report for Figure 7-13	46
7-15	Perpendicularity at LMC Applied to the Axis of a Hole, Surface Method	47
7-16	Example Data Report for Figure 7-15	47
8-1	Position at RFS Defining a Cylindrical Tolerance Zone	51
8-2	Example Data Report for Figure 8-1	52
8-3	Position at RFS Defining a Two-Parallel-Plane Tolerance Zone	53
8-4	Example Data Report for Figure 8-3	54
8-5	Position at RFS Defining a Spherical Tolerance Zone	55
8-6	Example Data Report for Figure 8-5	56
8-7	Bidirectional Position at RFS Applied to the Axis of Cylindrical Features	57

8-8	Example Data Report for Figure 8-7	58
8-9	Polar Coordinate Position at RFS Applied to the Axis of a Cylindrical Feature	59
8-10	Example Data Report for Figure 8-9	60
8-11	Position at MMC Applied to the Axis of a Cylindrical Feature, Resolved Geometry Method	61
8-12	Example Data Report for Figure 8-11	62
8-13	Position at MMC Applied to the Axis of a Cylinder, Surface Method	63
8-14	Example Data Report for Figure 8-13	64
8-15	Position at LMC Applied to the Axis of a Cylinder, Resolved Geometry Method	65
8-16	Example Data Report for Figure 8-15	66
8-17	Position at LMC Applied to the Axis of a Cylinder, Surface Method	67
8-18	Example Data Report for Figure 8-17	67
9-1	Profile of a Surface, Equal Bilateral Tolerance Zone	70
9-2	Example Data Report for Figure 9-1	71
9-3	Profile of a Surface, Unequal Tolerance Zone	72
9-4	Example Data Report for Figure 9-3	73
9-5	Dynamic Profile	74
9-6	Example Data Report for Figure 9-5	75
10-1	Circular Runout	77
10-2	Example Data Report for Figure 10-1	77
10-3	Total Runout	78
10-4	Example Data Report for Figure 10-3	78
11-1	Position at MMC Applied to the Axes of a Pattern of Two Coaxial Cylindrical Features, Surface Method	80
11-2	Example Data Report for Figure 11-1	80
11-3	Position at MMC Applied to the Axis of Two Parallel Holes With a Partially Constrained Datum Reference Frame, Resolved Geometry Method	81
11-4	Example Data Report for Figure 11-3	82
11-5	Position at MMC and Datum Reference Frame Shift, Resolved Geometry Method	83
11-6	Example Data Report for Figure 11-5	84
11-7	Example of Profile of a Surface Applied to a Pattern	85
11-8	Example Data Report for Figure 11-7	86
11-9	Profile of a Surface for Coplanar Surfaces	87
11-10	Example Data Report for Figure 11-9	88
11-11	Composite Position at MMC Applied to the Axes of Patterns of Cylindrical Features, Resolved Geometry Method	89
11-12	Example Data Report for Figure 11-11	90
11-13	Composite Profile Applied to a Pattern of Features	91
11-14	Example Data Report for Figure 11-13	92
12-1	Using Reporting Coordinate Systems for Features Not Orthogonal to the Datum Reference Frame	94
12-2	Example Data Report for Figure 12-1	95
I-1	Examples Showing the Impracticality of Numbering Basic Dimensions	97