

ASME MFC-21.1–2015

Measurement of Gas Flow by Means of Capillary Tube Thermal Mass Flowmeters and Mass Flow Controllers

AN AMERICAN NATIONAL STANDARD



The American Society of
Mechanical Engineers

ASME MFC-21.1–2015

Measurement of Gas Flow by Means of Capillary Tube Thermal Mass Flowmeters and Mass Flow Controllers

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**

Two Park Avenue • New York, NY • 10016 USA

Date of Issuance: October 16, 2015

This Standard will be revised when the Society approves the issuance of a new edition.

ASME issues written replies to inquiries concerning interpretations of technical aspects of this Standard. Interpretations are published on the Committee Web page and under go.asme.org/InterpsDatabase. Periodically certain actions of the ASME MFC Committee may be published as Cases. Cases are published on the ASME Web site under the MFC Committee Page at go.asme.org/MFCcommittee as they are issued.

Errata to codes and standards may be posted on the ASME Web site under the Committee Pages to provide corrections to incorrectly published items, or to correct typographical or grammatical errors in codes and standards. Such errata shall be used on the date posted.

The MFC Committee Page can be found at go.asme.org/MFCcommittee. There is an option available to automatically receive an e-mail notification when errata are posted to a particular code or standard. This option can be found on the appropriate Committee Page after selecting “Errata” in the “Publication Information” section.

ASME is the registered trademark of The American Society of Mechanical Engineers.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not “approve,” “rate,” or “endorse” any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

No part of this document may be reproduced in any form,
in an electronic retrieval system or otherwise,
without the prior written permission of the publisher.

The American Society of Mechanical Engineers
Two Park Avenue, New York, NY 10016-5990

Copyright © 2015 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All rights reserved
Printed in U.S.A.

CONTENTS

Foreword	iv
Committee Roster	v
Correspondence With the MFC Committee	vi
1 Scope	1
2 Terminology, Symbols, and References	1
3 General Description	4
4 Performance and Operating Specifications	13
5 Principle of Operation	15
6 Standard Volumetric Flow Rate	18
7 Conversion From One Gas to Another	20
8 Best Practices	21
Figures	
3.2-1 Typical General Purpose Mass Flow Controller (MFC)	7
3.2-2 Typical Semiconductor Mass Flow Controller (MFC)	8
3.5-1 Flow Paths in Mass Flowmeters (MFMs)	8
5.2-1 Sensor Tube and Temperature Distributions	16
5.4-1 Instrument Outputs Versus the Mass Flow Rate, q_m , Through the Sensor Tube for Four Different Gases	19
5.4-2 Instrument Outputs Versus Heat Capacity Rate, $q_m c_p$, for the Same Four Gases in Fig. 5.4-1	19
Tables	
2.3-1 Symbols	5
2.4-1 Abbreviations	6
4.2-1 Flow Ranges	13
Mandatory Appendix	
I Gas Flow Calibration	23
Nonmandatory Appendices	
A Energy Equation for the Gas Flowing in the Sensor Tube	25
B Bibliography	27