

**ASME NM.1-2020**  
(Revision of ASME NM.1-2018)

# Thermoplastic Piping Systems

**ASME Standards for Nonmetallic  
Pressure Piping Systems**

**AN AMERICAN NATIONAL STANDARD**



**The American Society of  
Mechanical Engineers**

**ASME NM.1-2020**  
(Revision of ASME NM.1-2018)

# Thermoplastic Piping Systems

---

**ASME Standards for Nonmetallic  
Pressure Piping Systems**

**AN AMERICAN NATIONAL STANDARD**



**The American Society of  
Mechanical Engineers**

Two Park Avenue • New York, NY • 10016 USA

Date of Issuance: December 31, 2020

The next edition of this Standard is scheduled for publication in 2022. This Standard will become effective 6 months after the Date of Issuance.

ASME issues written replies to inquiries concerning interpretations of technical aspects of this Standard. Periodically certain actions of the ASME NPPS Committee may be published as Cases. Cases and interpretations are published on the ASME website under the Committee Pages at <http://cstools.asme.org/> as they are issued.

Errata to codes and standards may be posted on the ASME website under the Committee Pages to provide corrections to incorrectly published items, or to correct typographical or grammatical errors in codes and standards. Such errata shall be used on the date posted.

The Committee Pages can be found at <http://cstools.asme.org/>. There is an option available to automatically receive an e-mail notification when errata are posted to a particular code or standard. This option can be found on the appropriate Committee Page after selecting “Errata” in the “Publication Information” section.

ASME is the registered trademark of The American Society of Mechanical Engineers.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not “approve,” “rate,” or “endorse” any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

No part of this document may be reproduced in any form,  
in an electronic retrieval system or otherwise,  
without the prior written permission of the publisher.

The American Society of Mechanical Engineers  
Two Park Avenue, New York, NY 10016-5990

Copyright © 2020 by  
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS  
All rights reserved  
Printed in U.S.A.

# CONTENTS

Foreword .....	vii	
Committee Roster .....	viii	
Correspondence With the NPPS Committee .....	xi	
Introduction .....	xiii	
Summary of Changes .....	xvi	
<b>Chapter 1</b>	<b>Scope and Definitions</b> .....	<b>1</b>
1-1	Scope .....	1
1-2	General .....	1
1-3	Definitions .....	2
1-4	Abbreviations .....	7
1-5	Status of Appendices .....	7
<b>Chapter 2</b>	<b>Design</b> .....	<b>10</b>
2-1	Design Conditions .....	10
2-2	Design Criteria .....	11
2-3	Pressure Design of Piping Components .....	14
2-4	Other Design Considerations .....	21
<b>Chapter 3</b>	<b>Materials</b> .....	<b>23</b>
3-1	General .....	23
3-2	Materials and Specifications .....	23
3-3	Thermoplastic Composite Materials .....	24
<b>Chapter 4</b>	<b>Standards for Piping Components</b> .....	<b>25</b>
4-1	General .....	25
4-2	Reference Documents .....	25
<b>Chapter 5</b>	<b>Fabrication, Assembly, and Erection</b> .....	<b>33</b>
5-1	General .....	33
5-2	Thermoplastic Fusing Requirements .....	41
5-3	Thermoplastic Solvent Fusion Requirements .....	61
<b>Chapter 6</b>	<b>Inspection, Examination, and Testing</b> .....	<b>68</b>
6-1	Inspection .....	68
6-2	Examination .....	68
6-3	Testing .....	71
<b>Chapter 7</b>	<b>Use of Metallic Piping Lined With Thermoplastics</b> .....	<b>74</b>
7-1	General .....	74
7-2	Standards .....	74
7-3	Materials .....	74
7-4	Design Considerations .....	74
7-5	Fabrication and Installation .....	82
7-6	Storage and Handling Guidelines .....	84

7-7	Inspection, Examination, and Testing . . . . .	84
<b>Chapter 8</b>	<b>Multilayered Reinforced Thermoplastic Piping Systems . . . . .</b>	<b>90</b>
8-1	Scope . . . . .	90
8-2	Applicability . . . . .	90
8-3	Design . . . . .	90
8-4	Fabrication, Assembly, and Erection . . . . .	92
8-5	Examination, Inspection, and Testing . . . . .	94

**Mandatory Appendices**

I	Fusing and Electrofusing of Polyamide-11 Thermoplastic Piping; and Fusing of Polypropylene, Poly(Vinylidene Fluoride), and Poly(Tetrafluoroethylene) Plastic Liners of Lined Steel Pipe . . . . .	96
II	Threaded Thermoplastic Connections . . . . .	113
III	Acceptance Criteria for Thermoplastic Joints . . . . .	117
IV	Stress Intensification Factors and Flexibility Factors . . . . .	118
V	One-Piece Thermoplastic Flanges . . . . .	123

**Nonmandatory Appendices**

A	Components for Thermoplastic Lap-Joint Flange Connections . . . . .	127
B	Design Requirements for Buried Piping . . . . .	149
C	Pressure Surge From Fluid Transient . . . . .	158
D	Multilayered Reinforced Thermoplastic Piping System(s) Operation, Maintenance, and Repair . . . . .	160

**Figures**

2-3.2.2-1	Nomenclature for 90-deg Mitered Elbows . . . . .	16
2-3.2.4-1	Tapered Transition Joint . . . . .	18
5-1.11-1	Fusion Positions . . . . .	39
5-1.11-2	Fusion Test Positions . . . . .	40
5-2.6-1	Heat Fusion Joints . . . . .	43
5-2.6.1-1	Required Minimum Melt Bead Size . . . . .	44
5-2.8.1.1-1	Cross Section of Upset Beads for Butt-Fused Pipe . . . . .	47
5-2.8.1.1-2	Cross Section of Upset Beads for Sidewall-Fused Fitting (Profile at Crotch of Fitting) . . . . .	48
5-2.8.1.3-1	Bend Test Specimen Removal, Configurations, and Testing . . . . .	51
5-2.8.1.3-2	Electrofusion Bend Test . . . . .	53
5-2.8.1.4-1	HSTIT Specimen Configuration and Dimensions . . . . .	54
5-2.8.1.4-2	HSTIT Specimen Failure Examples . . . . .	55
5-2.8.1.4-3	Electrofusion Peel Test . . . . .	56
5-2.8.1.4-4	Short-Term Hydrostatic Test Specimen . . . . .	57
5-3.5-1	Solvent Fusion Joint . . . . .	63
5-3.6.2-1	Solvent Fusion Specimens . . . . .	66
7-4.4.4.4-1	Stress Range Factor, <i>f</i> . . . . .	78
I-7.7-1	Instruction on Preparing and Cutting Electrofusion Coupling for Crush Test . . . . .	99
I-7.8-1	Joint Crush Specimens in Vise . . . . .	100
I-8.2-1	Polyethylene Pipe Butt-Fusion Joint O.D. Bead (Cross-Sectional View) . . . . .	103
I-9.1-1	Cross-Sectional View of PA-11 Butt-Fusion Bead . . . . .	104

I-9.2-1	Cross-Sectional View of an Electrofusion Coupling . . . . .	105
I-9.2-2	Fit-Up Gap . . . . .	105
I-9.3-1	Cross-Sectional View of a PP and PVDF Butt-Fusion Liner Bead Formed Against the Heater Plate . . . . .	107
III-3-1	Solvent-Cement-Weld Shrink-Back Appearance (Cross-Sectional View) . . . . .	117
V-1.1-1	Socket Configuration . . . . .	124
V-1.2-1	Threaded Configuration . . . . .	124
V-2.3-1	One-Piece Thermoplastic Flange With Reinforcing Rings . . . . .	124
A-2.3-1	Contact Area Between Flange Adapter and Backup Ring . . . . .	131
A-2.3-2	Plate Flange Adapter . . . . .	131
A-2.3-3	Convolute Backup Ring . . . . .	131
A-4.3.1-1	Thermoplastic Flange Adapter — Typical for PE, PP, and PVDF Butt-Fused Lap-Joint Flange Connections . . . . .	138
A-4.3.2-1	Typical ISO or DVS Metric Spigot Socket-Fusion Flange Adapters . . . . .	139
A-4.3.2-2	Typical ISO or DVS Metric Flange Adapters for Socket Fusing . . . . .	140
A-4.3.2-3	Special ISO or DVS Metric Butt-Fusion Flange Adapter for Higher-Pressure Connections . . . . .	141
A-5.2-1	Transistor Flange Arrangement . . . . .	144
A-5.2-2	Solid PVDF Flange and Backup Ring to Thermoplastic-Lined Metal Pipe . . . . .	145
A-5.3-1	One-Piece Flange . . . . .	145
A-5.3-2	Flange Adapter . . . . .	145
A-9.4-1	Drawings for Bolts With Nuts and Stud Bolts With Nuts . . . . .	148

**Tables**

1-4-1	Abbreviations . . . . .	8
1-5-1	Status of Appendices . . . . .	9
2-3.2.2-1	Geometric Shape Rating (GSR) for HDPE Fittings . . . . .	15
2-3.2.2-2	Design Factor (DF) . . . . .	16
2-3.2.2-3	Pressure Rating (PR) at 23°C (73°F) . . . . .	17
4-2.1-1	Specifications and Standards . . . . .	26
4-2.1-2	Procurement Information . . . . .	32
5-1.4-1	Fusing Variables Procedure Specification Polyethylene Pipe Butt Fusing . . . . .	34
5-1.4-2	Fusing Variables Procedure Specification Polyethylene Pipe Electrofusion . . . . .	35
5-1.4-3	Manual Butt-Fusing Variables Procedure Specification Polyethylene Pipe Manual Butt Fusing . . . . .	35
5-1.4-4	Fusing Variables Procedure Specification Polyethylene Sidewall Fusing . . . . .	35
5-2.4.3-1	Pipe Fusing Diameter Limits . . . . .	42
5-2.6.1-1	Maximum Heater Plate Removal Time for Polyethylene Butt and Sidewall Fusion . . . . .	45
5-2.6.1-2	Maximum Heater Plate Removal Time for Polypropylene Butt and Sidewall Fusion . . . . .	45
5-2.6.1-3	Maximum Heater Plate Removal Time for PVDF Butt Fusion . . . . .	45
5-2.8.1.2-1	Pipe Fiber Stresses — Elevated-Temperature Sustained-Pressure Test . . . . .	49
5-2.8.1.2-2	Pipe Fiber Stresses — Minimum Hydraulic Burst Pressure . . . . .	50
5-2.8.1.4-1	Testing Speed Requirements . . . . .	54
5-2.8.2.2-1	Electrofusion Procedure Qualification Test Coupon Required . . . . .	60
5-3.4-1	Joining Variables Procedure Specification Solvent Cement . . . . .	62
5-3.5-1	PVC/CPVC — Applicator Selection Guide . . . . .	64
5-3.5-2	PVC/CPVC — Average Handling and Setup Times . . . . .	65
5-3.5-3	PVC/CPVC — Average Cure Times . . . . .	65

7-4.4.4.3-1	Increased Casting Quality Factor, $E_c$ . . . . .	77
7-4.4.4.3-2	Acceptance Levels for Castings . . . . .	77
7-4.4.10-1	Working Pressures for Metallic Flanges and Fittings Lined With Thermoplastics . . . . .	80
I-8-1	Essential Variables for Heat-Fusing JPS for PA-11 . . . . .	101
I-8-2	Essential Variables for Electrofusion JPS for PA-11 Electrofusion Couplings . . . . .	101
I-8-3	Essential Variables for Heat Fusion JPS for PP, PVDF, and PTFE/PFA Liners . . . . .	102
I-9.3-1	Steel Pipe Liner Thickness for PP, PVDF, and PTFE/PFA Liners . . . . .	106
II-1.3-1	Pressure Ratings for Molded PVC and CPVC Threaded Adapters . . . . .	114
II-2.5.2-1	Pressure Ratings for PVC and CPVC Field-Threaded Pipe Ends . . . . .	116
IV-1	Stress Intensification Factors, $i$ , and Flexibility Factors, $k$ , for High-Density Polyethylene . . . . .	119
A-2.1-1	NPS Backup Rings for Thermoplastic Pipe . . . . .	128
A-2.1-2	Metric Backup Rings for Thermoplastic Pipe . . . . .	130
A-2.4-1	Solvent-Cement-Weld Socket PVC and CPVC Lap-Joint Flanges . . . . .	133
A-2.4-2	PVC and CPVC Spigot (Spig) Flange . . . . .	134
A-2.4-3	PVC and CPVC Threaded Lap-Joint Flange . . . . .	135
A-2.4-4	Steel Backup Rings for ABS Flange Adapters . . . . .	136
A-3-1	Proof-Test Requirements for TLJF Connections . . . . .	137
A-4.4-1	Full-Face ABS Socket Flange Adapter . . . . .	142
A-4.4-2	ABS Socket Flange Adapter . . . . .	143
A-5.1-1	Acceptable Methods for Installing Thermoplastic Flange Adapters to Thermoplastic Pipe and Fittings . . . . .	143
A-7.2-1	Gasket Requirements for Thermoplastic Flanges . . . . .	147
B-2.2.2.1-1	Soil Pressure Under H-20 Load Without Impact Factor (Flexible Pavement or Unpaved Roads) . . . . .	151
B-2.2.2.1-2	Soil Pressure Under H-20 Load on Rigid Pavement With Impact Factor . . . . .	151
B-4.2.1-1	Typical Soil Unit Weight . . . . .	155
B-4.2.2-1	$E'$ Values for Typical Soils . . . . .	155
B-4.2.2-2	$E'$ Values per Depth of Cover . . . . .	156
B-4.2.2-3	Native Soil $E'$ . . . . .	156
B-4.2.2-4	Soil Support Factor, $F_S$ . . . . .	157
C-2-1	Pipe Wall Flexibility Reduction Factors, $\psi_C$ . . . . .	159