



**ASME A112.18.2-2015/  
CSA B125.2-15**

# Plumbing waste fittings



*ASME A112.18.2-2015/CSA B125.2-15*  
***Plumbing waste fittings***



*™A trade-mark of the Canadian Standards Association, operating as "CSA Group"*

*Published in August 2015 by CSA Group  
A not-for-profit private sector organization  
178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3  
1-800-463-6727 • 416-747-4044*

***Visit our Online Store at [shop.csa.ca](http://shop.csa.ca)***

## **Commitment for Amendments**

This Standard is issued jointly by the American Society of Mechanical Engineers (ASME) and the Canadian Standards Association (Operating as “CSA Group”). Amendments to this Standard will be made only after processing according to the Standards writing procedures of both ASME and CSA Group.

The American Society of Mechanical Engineers  
(ASME)  
Three Park Avenue  
New York, NY 10016-5990  
USA  
[www.asme.org](http://www.asme.org)

ISBN 978-0-7918-7045-7

© Copyright 2015

The 2015 edition of this Standard is being issued with an automatic addenda subscription service. The use of addenda allows revisions made in response to public review comments or committee actions to be published as necessary.

Published in August 2015 by CSA Group  
A not-for-profit private sector organization  
178 Rexdale Boulevard,  
Toronto, Ontario, Canada  
M9W 1R3  
1-800-463-6727 • 416-747-4044

Visit the CSA Online Store at [shop.csa.ca](http://shop.csa.ca)

ISBN 978-1-77139-862-6

© 2015 CSA Group

All rights reserved. No part of this publication may be reproduced in any form whatsoever without the prior permission of the publisher.

# Contents

ASME A112 Standards Committee on Plumbing Materials and Equipment *vi*

ASME A112.18.2 Project Team on Fixture Waste Fittings *viii*

CSA Technical Committee on Plumbing Fixtures (B125) *x*

CSA/ASME Harmonization Task Group on Plumbing Fixtures (B125-JHTG) *xiii*

Preface *xiv*

## **1 Scope** 1

## **2 Reference publications** 1

## **3 Definitions and abbreviations** 3

3.1 Definitions 3

3.2 Abbreviations 4

## **4 General requirements** 4

4.1 Materials 4

4.1.1 General 5

4.1.2 All waste fittings 5

4.1.3 Plastic tubular waste fittings 5

4.1.4 Plastic pipe and pipe fittings 5

4.1.5 Copper alloys 5

4.1.6 Cast iron 5

4.1.7 Ductile iron 5

4.1.8 Stainless steel 5

4.1.9 Elastomeric fittings 5

4.2 Installation 6

4.2.1 Connection to waste system 6

4.2.2 Protection of finish 6

4.2.3 Fixture seal 6

4.3 Threads 6

4.3.1 DWV plastic pipe and fittings 6

4.3.2 Metallic pipes and fittings 6

4.3.3 Compression and union nuts 6

4.3.4 Tapped bosses 6

4.4 Solder connections 6

4.5 Replacement parts 6

4.5.1 Use of standard tools 6

4.5.2 Replacement part design 6

4.6 Dimensions 7

4.6.1 Outlet size 7

4.6.2 Slip joints 7

4.6.3 Wall thickness 7

4.6.4 Sink strainer assemblies 7

4.6.5 Traps 8

4.6.6 Tubing stops 8

4.6.7 Subdrains for built-up shower pans 8

4.6.8 Grey water diverters 8

- 4.7 Mechanical stoppers 9
- 4.8 Additional requirements for linear shower drains 9

## **5 Performance requirements and test procedures 9**

- 5.1 General 9
  - 5.1.1 Preconditioning 9
  - 5.1.2 Installation for testing 9
  - 5.1.3 Testing sequence 9
- 5.2 Corrosion 10
  - 5.2.1 Performance requirements 10
  - 5.2.2 Test procedure 10
- 5.3 Thermal cycling 11
  - 5.3.1 Performance requirements 11
  - 5.3.2 Test procedure 11
- 5.4 Coatings 11
- 5.5 Shower drain strainers 11
  - 5.5.1 Performance requirements 11
  - 5.5.2 Load test procedure 11
- 5.6 Sink strainer assemblies 12
  - 5.6.1 Performance requirements 12
  - 5.6.2 Hot oil exposure 12
  - 5.6.3 Water absorption 12
  - 5.6.4 Point impact 12
- 5.7 Body and clamping rings of subdrains for built-up shower pans 13
- 5.8 Minimum flow rate 13
  - 5.8.1 Performance requirements 13
  - 5.8.2 Test procedure 13
  - 5.8.3 Grey water diverters 13
- 5.9 Strength 14
  - 5.9.1 Thread torque strength 14
  - 5.9.2 Hydrostatic pressure 14
- 5.10 Life cycle 14
  - 5.10.1 Performance requirements 14
  - 5.10.2 Test procedure 14
- 5.11 Seals leakage 14
  - 5.11.1 Waste fittings for drainage flow control 14
  - 5.11.2 Other waste fittings 15
- 5.12 Leakage test for the seam between the bonding flange and membrane 15
  - 5.12.1 Performance requirements 15
  - 5.12.2 Test procedures 15

## **6 Markings, packaging, and installation instructions 16**

- 6.1 General 16
- 6.2 Packaging 16
- 6.3 Instructions for elastomeric waste fittings 16
- 6.4 Grey water diverters 16
  - 6.4.1 Markings 16
  - 6.4.2 Instructions 16

## **Annexes**

- A** (informative) — Unit conversion and rounding criteria 28

## **Figures**

- 1** — Sink and lavatory waste, trap, centre outlet, and patent overflow fittings 17

- 2** — Trap wall adapter 17
- 3** — Sink strainer 18
- 4** — Sink strainer tailpiece 18
- 5** — Tee 19
- 6** — Twin waste elbow 19
- 7** — Centre outlet — Continuous waste assembly 20
- 8** — End outlet — Continuous waste assembly 20
- 9** — Typical subdrain for built-up shower pans 21
- 10** — Grey water diverter — Test of water flow through the sanitary drainage system outlet 23
- 11** — Grey water diverter — Test of water flow through the diversion outlet 24
- 12** — Grey water diverter — Test of water with the diversion mechanism in the diverted position and the diversion outlet blocked 25
- 13** — Typical lavatory pop-up drain 26
- 14** — Waste and overflow 27