

**ASME B31J-2023**  
(Revision of ASME B31J-2017)

# **Stress Intensification Factors (*i*-Factors), Flexibility Factors (*k*-Factors), and Their Determination for Metallic Piping Components**

---

**ASME Code for Pressure Piping, B31**

**AN AMERICAN NATIONAL STANDARD**



**The American Society of  
Mechanical Engineers**

**ASME B31J-2023**  
(Revision of ASME B31J-2017)

# **Stress Intensification Factors (*i*-Factors), Flexibility Factors (*k*-Factors), and Their Determination for Metallic Piping Components**

---

**ASME Code for Pressure Piping, B31**

**AN AMERICAN NATIONAL STANDARD**



**The American Society of  
Mechanical Engineers**

Two Park Avenue • New York, NY • 10016 USA

Date of Issuance: February 7, 2024

The next edition of this Standard is scheduled for publication in 2028.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The standards committee that approved the code or standard was balanced to ensure that individuals from competent and concerned interests had an opportunity to participate. The proposed code or standard was made available for public review and comment, which provided an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not “approve,” “certify,” “rate,” or “endorse” any item, construction, proprietary device, or activity. ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor does ASME assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representatives or persons affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

The endnotes and preamble in this document (if any) are part of this American National Standard.



ASME Collective Membership Mark

All rights reserved. “ASME” and the above ASME symbol are registered trademarks of The American Society of Mechanical Engineers. No part of this document may be copied, modified, distributed, published, displayed, or otherwise reproduced in any form or by any means, electronic, digital, or mechanical, now known or hereafter invented, without the express written permission of ASME. No works derived from this document or any content therein may be created without the express written permission of ASME. Using this document or any content therein to train, create, or improve any artificial intelligence and/or machine learning platform, system, application, model, or algorithm is strictly prohibited.

The American Society of Mechanical Engineers  
Two Park Avenue, New York, NY 10016-5990

Copyright © 2024 by  
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS

# CONTENTS

Foreword . . . . .	v
Committee Roster . . . . .	vi
Correspondence With the B31 Committee . . . . .	vii
Introduction . . . . .	viii
Summary of Changes . . . . .	x
<b>1 General . . . . .</b>	<b>1</b>
<b>2 Definitions . . . . .</b>	<b>1</b>
<b>3 Contents Of Standard . . . . .</b>	<b>1</b>
<b>4 Reference . . . . .</b>	<b>1</b>
<b>Nonmandatory Appendices</b>	
A Stress Intensification Factor (SIF) Test Procedure . . . . .	18
B Test Method for Determining Branch Connection Flexibility Factors . . . . .	27
C Use Of Branch Connection Flexibility Factors in Piping System Analysis . . . . .	36
D Sustained Load Test Procedure . . . . .	40
<b>Figures</b>	
1-1 Orientations for Sketches 2.1 Through 2.6 of Table 1-1 . . . . .	14
1-2 Orientations for Bends . . . . .	15
1-3 Branch Dimensions . . . . .	15
1-4 Flexibility and Stress Intensification Factors for Bends and Miters . . . . .	16
1-5 Flanged End Corrections for Bends and Miters . . . . .	16
1-6 Flexibility Element Locations . . . . .	17
1-7 Fillet Weld Contours . . . . .	17
A-1.1-1 Representative Cantilever Test Arrangements . . . . .	18
A-1.3-1 Displacement and Force or Moment Recorded During Loading and Unloading of a Test Specimen in Both Positive and Negative Directions, With Linear Displacement . . . . .	20
B-1-1 Branch Connection Specimen . . . . .	27
B-1-2 Multiple <i>k</i> -Factor Tests on Single Assembled Position . . . . .	28
B-2-1 Example Flexibility Factor Branch Load Assembly Orientation . . . . .	29
B-4.4-1 Detailed Beam Model for Through-Branch <i>k</i> -Factor Test . . . . .	31
B-4.4-2 Beam Model . . . . .	32
B-4.6-1 Load-Displacement Diagram . . . . .	33
B-6-1 Unreinforced Branch Connection With (Left) and Without Ovalization Restraint Plates in Place	34
C-2-1 Rotational Stiffness Location Between Two Nodes . . . . .	36
C-2-2 Branch Connection In-Plane Direction . . . . .	37
C-2-3 Branch Connection Flexibilities Used on Branch Side Only . . . . .	38
C-2-4 Branch Connection Flexibilities Used on Run Side Only . . . . .	38

C-2-5	Branch and Run Flexibilities Used Together (in Series) . . . . .	38
C-2-6	Rotational Flexibility Definitions . . . . .	39
C-2-7	Branch and Run SIF and $k$ -Factor Intersection Orientations . . . . .	39
D-1-1	Standard Sustained Load Setup . . . . .	40
D-1-2	Bend Sustained Load Setup . . . . .	41
D-2-1	Load-Displacement Diagram Illustrating Typical Pressure-Sensitive, Not Pressurized, and Not-Pressure-Sensitive Load-Deflection Behavior . . . . .	42
D-3-1	Load-Displacement Diagram at $d_s = 2d_e$ Limit . . . . .	44

**Tables**

1-1	Flexibility and Stress Intensification Factors . . . . .	2
1-2	Moment-Rotation Relationships for Sketches 2.1 Through 2.6 of Table 1-1 . . . . .	14
1-3	Flanged End Correction Coefficients for Sketches 2.1 Through 2.6 of Table 1-1 . . . . .	14
A-2.4-1	Stress Intensification Increase Factor . . . . .	21
B-1-1	Load-Deflection Pairs for Single Assembled Orientation Shown in Figure B-1-2 . . . . .	28
D-8.1-1	Distance and Precaution for Pressurized Twice Elastic Slope Test . . . . .	49
D-8.1-2	Inadvertent Air Volumes in Test Specimens . . . . .	50