

ASME V&V 20-2009

Standard for Verification and Validation in Computational Fluid Dynamics and Heat Transfer

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**



CONTENTS

Foreword	vi
Committee Roster	viii
Correspondence With the V&V 20 Committee	ix
Section 1 Introduction to Validation Methodology	1
1-1 General	1
1-2 Objective and Scope	1
1-3 Errors and Uncertainties	1
1-4 Example for Validation Nomenclature and Approach	2
1-5 Validation Approach	3
1-6 Overview of Subsequent Sections	5
1-7 References	5
Section 2 Code Verification and Solution Verification	7
2-1 General	7
2-2 Introduction	7
2-3 Code Verification	7
2-4 Solution Verification	11
2-5 Special Considerations	16
2-6 Final Comment	17
2-7 References	17
Section 3 Effect of Input Parameter Uncertainty on Simulation Uncertainty	19
3-1 Introduction	19
3-2 Sensitivity Coefficient (Local) Method for Parameter Uncertainty Propagation	19
3-3 Sampling (Global) Methods for Parameter Uncertainty Propagation	23
3-4 Importance Factors	25
3-5 Special Considerations	25
3-6 Final Comment on Parameter Uncertainty	26
3-7 References	26
Section 4 Uncertainty of an Experimental Result	27
4-1 Overview	27
4-2 Experimental Uncertainty Analysis	27
4-3 Uncertainty of Validation Experiment	28
4-4 Summary	28
4-5 References	28
Section 5 Evaluation of Validation Uncertainty	30
5-1 Overview	30
5-2 Estimating u_{val} When the Experimental Value, D , of the Validation Variable is Directly Measured (Case 1).	30
5-3 Estimating u_{val} When the Experimental Value, D , of the Validation Variable is Determined From a Data Reduction Equation (Cases 2 and 3)	31
5-4 Estimating u_{val} When the Experimental Value, D , of the Validation Variable is Determined From a Data Reduction Equation That Itself Is a Model (Case 4).	36
5-5 Assumptions and Issues	37
5-6 References	39
Section 6 Interpretation of Validation Results	40
6-1 Introduction	40
6-2 Interpretation of Validation Results Using E and u_{val} With No Assumptions Made About Error Distributions.	40

6-3	Interpretation of Validation Results Using E and u_{val} With Assumptions Made About Error Distributions	40
6-4	References	41
Section 7	Examples	42
7-1	Overview	42
7-2	Code Verification Example	42
7-3	Validation Example	48
7-4	References	65
Figures		
1-4-1	Schematic of Finned-Tube Assembly for Heat Transfer Example	2
1-5-1	Schematic Showing Nomenclature for Validation Approach	3
1-5-2	Overview of the Validation Process With Sources of Error in Ovals	4
2-4-1	Sample Uncertainty Analysis: Explosive Detonation in a Fluid Filled Box	15
3-2-1	Relative Error in Finite Difference Computation of $k \partial T / \partial k$ Using a Backwards Difference	21
3-2-2	Estimated Uncertainty in Model Temperature Due to Uncertainty in q , k , and ρc_p	22
3-3-1	Representative Probability Distribution Function for Thermal Conductivity	23
3-3-2	Standard Deviation in Temperature at $z/L = 0$ and 1 for Constant Heat Flux Example Using 10 LHS Runs and Mean Value Method (With $u_x/X = 0.05$)	25
5-1-1	Schematic for Combustion Gas Flow Through a Duct With Wall Heat Flux Being the Validation Variable (Case 4)	30
5-2-1	Sensitivity Coefficient Propagation Approach for Estimating u_{val} When the Validation Variable (T_o) Is Directly Measured (Case 1)	32
5-2-2	Monte Carlo Approach for Estimating u_{val} When the Validation Variable (T_o) Is Directly Measured (Case 1)	32
5-3-1	Sensitivity Coefficient Propagation Approach for Estimating u_{val} When the Validation Variable Is Defined by a Data Reduction Equation That Combines Variables Measured in the Experiment (Case 2)	34
5-3-2	Monte Carlo Approach for Estimating u_{val} When the Validation Variable Is Defined by a Data Reduction Equation That Combines Variables Measured in the Experiment (Case 2)	34
5-3-3	Sensitivity Coefficient Propagation Approach for Estimating u_{val} When the Validation Variable Is Defined by a Data Reduction Equation That Combines Variables Measured in the Experiment and Two Measured Variables Share an Identical Error Source (Case 3)	35
5-3-4	Monte Carlo Propagation Approach for Estimating u_{val} When the Validation Variable Is Defined by a Data Reduction Equation That Combines Variables Measured in the Experiment and Two Measured Variables Share an Identical Error Source (Case 3)	36
5-4-1	Sensitivity Coefficient Propagation Approach for Estimating u_{val} When the Validation Variable Is Defined by a Data Reduction Equation That Itself Is a Model (Case 4)	37
5-4-2	Monte Carlo Propagation Approach for Estimating u_{val} When the Validation Variable Is Defined by a Data Reduction Equation That Itself Is a Model (Case 4)	38
7-2-1	Problem Domain With (x, y) Coordinates Shown for Domain Corners	42
7-2-2	Finite Element Meshes Used in the Code Verification Refinement Study	44
7-2-3	Error as a Function of Characteristic Mesh Size	47
7-3-1	Schematic of Fin-Tube Heat Exchanger Assembly	48
7-3-2	Experimental Total Heat Transfer Rate and Its Standard Uncertainty, u_D	51
7-3-3	Heat Transfer Model for the Fin-Tube Assembly	52
7-3-4	Mesh Refinement Study for Solution Verification	55
7-3-5	Simulation Values of Total Heat Transfer Rate and Its Uncertainty, u_{input}	57
7-3-6	LHS Samples of Simulated and Experimental Values of Total Heat Transfer Rate	60
7-3-7	Interval for $\delta_{\text{model}} (E \pm 2u_{\text{val}})$ Assuming a Gaussian Distribution for the Errors and 95% Probability	61
7-3-8	Interval for $\delta_{\text{model}} (E \pm 2u_{\text{val}})$ Assuming a Gaussian Distribution for the Errors and 95% Probability for the Model With Contact Conductance at the Fin/Tube Interface	65

Tables

2-4-1	Sample Uncertainty Analysis: Backward Facing Step	15
2-4-2	Sample Uncertainty Analysis: Explosive Detonation.....	16
3-3-1	Matrix Representation of Number of LHS Samples (n_{LHS}) and Number of Parameters (n_p)	24
3-3-2	LHS Samples for the Three Parameters q , k , and C	24
7-2-1	Parameter Values Used for the Code Verification Example	45
7-2-2	Code Verification Results	45
7-2-3	Error (E_h) in the Code Simulation During Mesh Refinement	46
7-2-4	Observed Order of Convergence (p^{obs}) From Mesh Refinement	47
7-3-1	Details of the Fin-Tube Assembly and Flow Conditions	49
7-3-2	Measured Flow Conditions and Calculated Total Heat Transfer Rate.....	50
7-3-3	Estimates of the Experimental Measurement Standard Uncertainties	50
7-3-4	Sensitivity Coefficients for Average Conditions	50
7-3-5	Experimental Values of Total Heat Transfer Rate and Its Standard Uncertainties.....	51
7-3-6	Simulation Model Input Parameters and Standard Uncertainties.....	53
7-3-7	Simulation Values of Total Heat Transfer Rate	54
7-3-8	Solution Verification Results for Total Heat Transfer Rate	54
7-3-9	Measures of the Numerical Error and Numerical Uncertainty for Total Heat Transfer Rate.....	55
7-3-10	Partial Derivatives of the Total Heat Transfer Rate for the Simulation Model With Respect to Uncertain Model Inputs for the Average of Measured Experimental Conditions and Standard Uncertainty for the Inputs.....	56
7-3-11	Simulation Values of Total Heat Transfer Rate and Its Standard Uncertainty From Input Parameter Uncertainty.....	56
7-3-12	Parameters Included in Evaluating u_{val} , Parameter Standard Uncertainty Estimates, and Parameter Sensitivity Coefficients	58
7-3-13	Experimental and Simulation Values of Total Heat Transfer Rate and Associated Standard Uncertainties	58
7-3-14	Parameter Standard Uncertainty and Example Latin Hypercube Samples	59
7-3-15	LHS Samples for the Simulated and Experimental Values of the Total Heat Transfer Rate.....	60
7-3-16	Comparison of Nominal Values and Standard Uncertainties Computed With the Propagation and LHS Approaches	60
7-3-17	Simulation Values of the Total Heat Transfer Rate for the Model With Contact Conductance	62
7-3-18	Simulation Values of the Total Heat Transfer Rate and the Standard Uncertainty for the Model With Contact Conductance	63
7-3-19	Solution Verification Results for Total Heat Transfer Rate for the Model With Contact Conductance	63
7-3-20	Measures of the Numerical Error and Numerical Uncertainty for Total Heat Transfer Rate for the Model With Contact Conductance	63
7-3-21	Partial Derivatives of the Total Heat Transfer Rate for the Simulation Model With Respect to Uncertainty Model Inputs for Model With Contact Conductance for the Average Measured Conditions	64
7-3-22	Parameters Included in Evaluating u_{val} , Parameter Standard Uncertainty Estimates, and Parameter Sensitivity Coefficients for the Model With Contact Conductance.....	64
7-3-23	Experimental and Simulation Values of Total Heat Transfer Rate and Associated Uncertainties.....	65

Mandatory Appendices

I	Detailed Development of Simulation Equations for Example Problem	67
II	Nomenclature	70

Nonmandatory Appendices

A	Method of Manufactured Solutions for the Sample Problem	72
B	Importance Factors	78
C	Additional Topics.....	82