

ASME B18.24-2015

[Revision of ASME B18.24-2004 (R2011)]

Part Identifying Number (PIN) Code System Standard for B18 Fastener Products

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**

ASME B18.24-2015

[Revision of ASME B18.24-2004 (R2011)]

Part Identifying Number (PIN) Code System Standard for B18 Fastener Products

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**

Two Park Avenue • New York, NY • 10016 USA

Date of Issuance: November 20, 2015

This Standard will be revised when the Society approves the issuance of a new edition.

ASME issues written replies to inquiries concerning interpretations of technical aspects of this Standard. Interpretations are published on the Committee Web page and under go.asme.org/InterpsDatabase. Periodically certain actions of the ASME B18 Committee may be published as Cases. Cases are published on the ASME Web site under the B18 Committee Page at go.asme.org/B18committee as they are issued.

Errata to codes and standards may be posted on the ASME Web site under the Committee Pages to provide corrections to incorrectly published items, or to correct typographical or grammatical errors in codes and standards. Such errata shall be used on the date posted.

The B18 Committee Page can be found at go.asme.org/B18committee. There is an option available to automatically receive an e-mail notification when errata are posted to a particular code or standard. This option can be found on the appropriate Committee Page after selecting "Errata" in the "Publication Information" section.

ASME is the registered trademark of The American Society of Mechanical Engineers.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not "approve," "rate," or "endorse" any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assumes any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

No part of this document may be reproduced in any form,
in an electronic retrieval system or otherwise,
without the prior written permission of the publisher.

The American Society of Mechanical Engineers
Two Park Avenue, New York, NY 10016-5990

Copyright © 2015 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All rights reserved
Printed in U.S.A.

CONTENTS

Foreword		vi
Committee Roster		vii
Correspondence With the B18 Committee		viii
1	Introductory Notes	1
2	General Guidance	1
3	PIN Code Structure	2
Tables		
1-1	Fastener Family and Type/Base PIN	4
2-1	Thread Type	25
2-2	Thread and Point Options for Tapping Screws	25
3-1	Inch Thread	25
3-2	Inch Size	25
3-3	Metric Thread	26
3-4	Metric Size	27
3-5	Miniature Screw Thread	28
3-6	Inch Tapping Screw Thread	28
3-7	Metric Tapping Screw Thread	29
3-8	Inch Hex Socket Head Shoulder Screw Size	29
3-9	Metric Hex Socket Head Shoulder Screw Size	29
3-10	Inch Spline Socket Set Screw Thread	29
3-11	Inch Trim Head Machine Screw Size	29
3-12	Inch Wood Screw Thread	30
3-13	Inch Lag Screw Thread	30
3-14	Inch Rivet Size Weight	30
3-15	Inch Rivet Size Number	30
3-16	Inch Rivet Size 1	30
3-17	Inch Rivet Size/Length	30
3-18	Inch Pin Size 1	31
3-19	Inch Pin Size 2	31
3-20	Retaining Ring Size Number	31
3-21	Inch Retaining Ring Size	33
3-22	Inch Washer Size 1	34
3-23	Inch Washer Size 2	35
3-24	Inch Washer Size 3	35
3-25	Inch Washer Size 4	36
3-26	Metric Washer Size 1	36
3-27	Metric Washer Size 2	37
3-28	Metric Key Size 1	37
3-29	Metric Key Size 2	38
4-1	Inch Length/Other	38
4-2	Metric Length/Other	40
4-3	Inch Miniature Screw Length	41
4-4	Insert Length	42
4-5	Inch Pin Length	42
4-6	Inch Eyebolt Full Thread Length	42
5-1	Material and Treatment: ASTM Material Specifications	43
5-2	Material and Treatment: UNS Carbon and Alloy Steels	82
5-3	Material and Treatment: UNS Heat and Corrosion Resisting Steels	88

5-4	Material and Treatment: UNS Nonferrous Materials	93
5-5	Material and Treatment: SAE Material Specifications	96
5-6	Material and Treatment: ISO Material Specifications	97
5-7	Material and Treatment: IFI Material Specifications	98
5-8	Material and Treatment: B18.16.1M	98
5-9	Material and Treatment: B18.6.6	98
6-1	Plating, Coating, and Passivation: Plain, Unfinished	99
6-2	Plating, Coating, and Passivation: ASTM Finish Specifications	99
6-3	Plating, Coating, and Passivation: Government Finish Specifications	117
6-4	Plating, Coating, and Passivation: SAE Finish Specifications	117
6-5	Plating, Coating, and Passivation: ISO Finish Specifications	118
7-1	Plain: No Additional Features	120
7-2	Miscellaneous Features for Externally Threaded Fasteners	120
7-3	General Point Options	120
7-4	Features for Metric Flange Screws	120
7-5	Features for Metric 12-Spline Screws	120
7-6	Neck Options for Large Rivets	120
7-7	Cotter Pin Type	120
7-8	Pin Type	120
7-9	SEMs Washer Components	120
7-10	Wood Screw Thread Types	120
7-11	Miscellaneous Features for Socket Head Cap Screws	121
7-12	Self-Locking Elements for Set Screws	121
7-13	Thread Class for Track Bolts and Nuts	121
7-14	Alternate Points for Thumb and Wing Screws (ASME B18.6.8)	121

Nonmandatory Appendices

A	B18.24.1, B18.24.2, and B18.24.3 PIN Succession Instructions	123
B	B18.24.1, B18.24.2, and B18.24.3 PIN Succession Tables	128
C	Part Identifying Number System for Bent Bolts per ASME B18.31.5	172

Figures

A-1	Instructions	124
C-1	Part Identification Number (PIN) System for Bent Bolts	173

Tables

B-1	Fastener Family	128
B-2	Fastener Type: Externally Threaded	128
B-3	Fastener Type: Internally Threaded and Nonthreaded	142
B-4	Thread Series: Externally Threaded	143
B-5	Thread Series: Internally Threaded	143
B-6	Inch Size: Externally Threaded	143
B-7	Inch Size: Internally Threaded	143
B-8	Metric Size: Externally Threaded	144
B-9	Metric Size: Internally Threaded	144
B-10	Inch Miniature Screw Size	144
B-11	Inch Length: Externally Threaded	144
B-12	Metric Length: Externally Threaded	144
B-13	Inch Miniature Screw Length	145
B-14	Length: Internally Threaded	145
B-15–B-133	Dimensions/Other Characteristics: Nonthreaded	145
B-134	Material and Treatment A	160
B-135	Material and Treatment B	163
B-136	Plating, Coating, and Passivation	165
B-137	Additional Features: Externally Threaded	166
B-138	Additional Features: Internally Threaded	166
B-139	Additional Features: Nonthreaded	166
B-140	Cross Reference: Table 2-2 Tapping Screw Point AB	166

B-141	Cross Reference: Table 2-2 Tapping Screw Point B	166
B-142	Cross Reference: Table 2-2 Tapping Screw Point BF	166
B-143	Cross Reference: Table 2-2 Tapping Screw Point BP	167
B-144	Cross Reference: Table 2-2 Tapping Screw Point BT	167
B-145	Cross Reference: Table 2-2 Tapping Screw Point C	167
B-146	Cross Reference: Table 2-2 Tapping Screw Point D	167
B-147	Cross Reference: Table 2-2 Tapping Screw Point F	167
B-148	Cross Reference: Table 2-2 Tapping Screw Point G	167
B-149	Cross Reference: Table 2-2 Tapping Screw Point T	167
B-150	Cross Reference: Table 2-2 Tapping Screw Point U	167
B-151	Bridge to Table 3-6 for AB, B, BF, BP, BT	167
B-152	Bridge to Table 3-6 for C, D, F, G, T	167
B-153	Bridge to Table 3-7 for AB, B, BF, BT	167
B-154	Bridge to Table 3-7 for D, F, T	167
B-155	Bridge to Table 3-10	167
B-156	Bridge to Table 3-12	167
B-157	Bridge to Table 3-13	167
B-158	Cross Reference: Table 7-9 Washer Component 1	167
B-159	Cross Reference: Table 7-9 Washer Component 2	167
B-160	Cross Reference: Table 7-9 Washer Component 3	167
B-161	Cross Reference: Table 7-9 Washer Component 4	167
B-162	Cross Reference: Table 7-9 Washer Component 5	167
B-163	Cross Reference: Table 7-9 Washer Component 6	167
B-164	Cross Reference: Table 7-9 Washer Component 7	167
B-165	Cross Reference: Table 7-9 Washer Component 8	167
B-166	Cross Reference: Table 7-9 Washer Component 9	168
B-167	Cross Reference: Table 7-9 Washer Component 10	168
B-168	Cross Reference: Table 7-9 Washer Component 11	168
B-169	Cross Reference: Table 7-9 Washer Component 12	168
B-170	Bridge to Table 3-11	168
B-171	Bridge to Table 3-4	168
B-172	Bridge to Table 7-10	168
B-Index	B18.24 Legacy Table References From B18.24.1, B18.24.2, and B18.24.3	168
C-1	Materials for Bent Bolts	174
C-2	Finish Designations for Bent Bolts	175