ASME VVUQ 20.1-2024

Multivariate Metric for Validation

Supplement to ASME V&V 20-2009

AN AMERICAN NATIONAL STANDARD

The American Society of Mechanical Engineers

Date of Issuance: November 30, 2024

This Standard will be revised when the Society approves the issuance of a new edition.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The standards committee that approved the code or standard was balanced to ensure that individuals from competent and concerned interests had an opportunity to participate. The proposed code or standard was made available for public review and comment, which provided an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not "approve," "certify," "rate," or "endorse" any item, construction, proprietary device, or activity. ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor does ASME assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representatives or persons affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

The endnotes and preamble in this document (if any) are part of this American National Standard.



ASME Collective Membership Mark

All rights reserved. "ASME" and the above ASME symbol are registered trademarks of The American Society of Mechanical Engineers. No part of this document may be copied, modified, distributed, published, displayed, or otherwise reproduced in any form or by any means, electronic, digital, or mechanical, now known or hereafter invented, without the express written permission of ASME. No works derived from this document or any content therein may be created without the express written permission of ASME. Using this document or any content therein to train, create, or improve any artificial intelligence and/or machine learning platform, system, application, model, or algorithm is strictly prohibited.

The American Society of Mechanical Engineers
150 Clove Road, Little Falls, NJ 07424

Copyright © 2024 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
Printed in U.S.A.

CONTENTS

Foreword v

Committee Roster vi

Correspondence With the VVUQ Committee vii

Preface ix

1 Purpose 1

2 Scope 1

3 Motivation and Introduction 1

4 A Multivariate Metric for Results From Multiple Validation Set Points 3

5 Example of the Application of the Multivariate Metric Showing the Effects of Correlation 10

6 Discussion and Caveats 18

7 References 19

Nonmandatory Appendices

A Methodology to Evaluate the Validation Covariance Matrix, v_{val} 21

B Example Problem: Fin-Tube Heat Exchanger 30

C Example of Evaluation of the Validation Covariance Matrix, v_{val} 56

Figures

4.1-1 Temperature T as a Function of Time 4

4.1-2 Comparison Error E as a Function of Time 5

4.2.2-1 Assessment of Three Scenarios 9

5.1-1 ASME V&V 20-2009 Validation Metric ($E \pm u_{val}$) at the Two Times for the Three Facilities . . 13

5.3-1 Schematic Representation of E_{mv} for Three Facilities (Symbols) Using Sensitivity Approach . 16

5.3-2 Correlated Errors in Estimates of the True Differences and the Effect of Ignoring Correlation 17

A-1-1 Logic Flow for Choosing Approach to Calculate the Validation Uncertainty Matrix, V_{val} 22

B-3.1-1 Experimentally Determined Total Heat Transfer as a Function of Inflow Temperature 35

B-4.1-1 Simulation Results and Experimental Observations for Heat Transfer as Functions of Inflow Temperature 36

B-5.2.3-1 Comparison Error as a Function of Inflow Temperature With Bars Showing the Range of u_{val}. 41

C-2.1-1 Domain and Boundary Conditions for the Simulation of the Flow Around the Eppler 387 Airfoil at an Angle of Attack of α = 1 deg and Reynolds Number of $Re = 3 \times 10^5$ 57

C-3-1 Illustration of a Fully Developed Flow in a Circular Pipe of Diameter, D, and Length, L 59

Tables

5-1 Simulation Model Parameters a and b 10

5-2 Experimental Data D at Two Measurement Times From Three Independent Facilities 11

5-3 Mean Simulation Results, S_i 11

5-4 Comparison Error, E_i, at Two Measurement Times From Three Facilities 11

5.1-1	Ratio of Comparison Error, E, to Validation Uncertainty, u_{val}, at the Two Time Instants for the Three Facilities	13
5.3-1	Validation Results for Normally Distributed Simulation Model Parameters	14
A-1-1	Contributions to the Covariance Validation Matrix, V_{val}, in the Sensitivity Coefficients Approach	22
A-2.6-1	Summary of Equations Required to Calculate the Validation Uncertainty Matrix, V_{val}	28
B-3-1	Measured Flow Conditions and Calculated Total Heat Transfer Rate	33
B-3-2	Random and Systematic Uncertainties for Input Parameters, X_i	33
B-3.3	Calculated Sensitivity Coefficients for the Experiments Reported in Table B-3-1	34
B-3.1-1	Random, Systematic, and Total Data Uncertainties for the Experimental Data	34
B-4.1-1	Simulation Parameters, Set-Point Conditions, and Results	36
B-4.1-2	Sensitivity Coefficients for the Simulation Result	37
B-5.2.2-1	Comparison Error and Validation Uncertainty Estimated Using the Method of Sensitivity Coefficients	41
B-6.2.1-1	Latin Hypercube Sampling Data	54
B-6.3-1	Summary of Multivariate Metric Estimates	55
B-6.3-2	Summary of Multivariate Metric Estimates With Sensitivity/Sampling Ratios	55