ASME B30.30-2023
(Revision of ASME B30.30-2019)

Ropes

Safety Standard for Cableways, Cranes, Derricks, Hoists, Hooks, Jacks, and Slings

AN AMERICAN NATIONAL STANDARD

The American Society of Mechanical Engineers

ASME B30.30-2023
(Revision of ASME B30.30-2019)

Ropes

Safety Standard for Cableways, Cranes, Derricks, Hoists, Hooks, Jacks, and Slings

AN AMERICAN NATIONAL STANDARD

The American Society of Mechanical Engineers
Two Park Avenue • New York, NY • 10016 USA

Date of Issuance: February 23, 2024

The next edition of this Standard is scheduled for publication in 2028. This Standard will become effective 1 yr after the Date of Issuance.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The standards committee that approved the code or standard was balanced to ensure that individuals from competent and concerned interests had an opportunity to participate. The proposed code or standard was made available for public review and comment, which provided an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not "approve," "certify," "rate," or "endorse" any item, construction, proprietary device, or activity. ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor does ASME assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representatives or persons affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

The endnotes and preamble in this document (if any) are part of this American National Standard.



ASME Collective Membership Mark

All rights reserved. "ASME" and the above ASME symbol are registered trademarks of The American Society of Mechanical Engineers. No part of this document may be copied, modified, distributed, published, displayed, or otherwise reproduced in any form or by any means, electronic, digital, or mechanical, now known or hereafter invented, without the express written permission of ASME. No works derived from this document or any content therein may be created without the express written permission of ASME. Using this document or any content therein to train, create, or improve any artificial intelligence and/or machine learning platform, system, application, model, or algorithm is strictly prohibited.

The American Society of Mechanical Engineers
Two Park Avenue, New York, NY 10016-5990

Copyright © 2024 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
Printed in U.S.A.

CONTENTS

Foreword v
Committee Roster vii
Correspondence With the B30 Committee ix
B30 Standard Introduction x
Summary of Changes xii

Chapter 30-0 **Scope, Definitions, Personnel Competence, Translations, and References** 1
Section 30-0.1 Scope of ASME B30.30 1
Section 30-0.2 Definitions 1
Section 30-0.3 Personnel Competence 5
Section 30-0.4 Translation of Safety-Related Information 5
Section 30-0.5 References 5
Chapter 30-1 **Steel Wire Rope** 8
Section 30-1.1 Scope 8
Section 30-1.2 Training 8
Section 30-1.3 Types of Steel Wire Rope 8
Section 30-1.4 Rope Selection, Minimum Breaking Force, Design Factors, and Other Requirements . . 8
Section 30-1.5 Installation, Testing, Maintenance, Replacement, and Rope Certification 9
Section 30-1.6 Environmental Conditions 13
Section 30-1.7 Rope-Lifting Components 13
Section 30-1.8 Rope Inspection and Removal Criteria, and Records 15
Chapter 30-2 **Synthetic Rope** 25
Section 30-2.1 Scope 25
Section 30-2.2 Training 25
Section 30-2.3 Types of and Materials Used in Synthetic Rope 25
Section 30-2.4 Rope Selection, Minimum Breaking Force, Design Factors, and Other Requirements . . 25
Section 30-2.5 Installation, Testing, Maintenance, Replacement, and Rope Certification 28
Section 30-2.6 Environmental Conditions 29
Section 30-2.7 Rope-Lifting Components 30
Section 30-2.8 Rope Inspection and Removal, Records, and Repair 31

Figures
30-0.2-1 Birdcage Example 2
30-0.2-2 Crown Breaks 2
30-0.2-3 D/d Ratio 3
30-0.2-4 Dogleg 3
30-0.2-5 Fleet Angle 3
30-0.2-6 Synthetic Rope, Strand, and Yarn 6
30-0.2-7 Valley Breaks 6

30-0.2-8 Wire Rope 7
30-1.7.2-1 Arc of Contact 14
30-1.7.3-1 Recommended Rope Lays for a Smooth Drum or a Single-Layer Grooved Drum 15
30-1.8.2-1 Core Deterioration 18
30-1.8.2-2 Distortion of Rope Structure — Kink 18
30-1.8.2-3 Distortion of Rope Structure — Dogleg 18
30-1.8.2-4 Distortion of Rope Structure — Birdcaging Example 19
30-1.8.2-5 Distortion of Rope Structure — Crushing 19
30-1.8.2-6 Corrosion 20
30-1.8.2-7 Waviness 21
30-1.8.2-8 Heat Damage 22
30-1.8.2-9 High or Low Strand 22
30-1.8.2-10 Damaged End Terminations 23
30-2.3.1-1 Single Braid 26
30-2.3.1-2 Three-Strand Cable Laid 26
30-2.3.1-3 Jacketed 27
30-2.3.1-4 Parallel Core, Braided Jacket: Three-Strand Cores 27
30-2.8.2-1 Cuts, Gouges, and Yarn Material Breakage 33
30-2.8.2-2 Appearance of Fuzz or Whiskers 33
30-2.8.2-3 Damage Inside the Rope 34
30-2.8.2-4 Loops (Hockles) 34
30-2.8.2-5 Melt Damage Due to Heat 35
30-2.8.2-6 Damaged Components 35
30-2.8.2-7 Broken Jackets 36

Tables

30-1.4.4-1 Wire Rope Design Factors 10
30-1.4.7-1 Minimum D/d Ratios — Sheave and Drum 12
30-1.8.2-1 Reduction in Diameter Indicating Rope Removal 17
30-1.8.2-2 Broken Wire Criteria Indicating Rope Removal 24
30-2.4.4-1 Synthetic Rope Design Factors 28