

ASME B29.1-2011

(Revision of ASME B29.1 and Partition From ASME B29.100-2002)

Precision Power Transmission Roller Chains, Attachments, and Sprockets

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**

ASME B29.1-2011

(Revision of ASME B29.1 and Partition From ASME B29.100-2002)

Precision Power Transmission Roller Chains, Attachments, and Sprockets

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**

Three Park Avenue • New York, NY • 10016 USA

Date of Issuance: January 31, 2012

The next edition of this Standard is scheduled for publication in 2016.

ASME issues written replies to inquiries concerning interpretations of technical aspects of this Standard. Interpretations are published on the ASME Web site under the Committee Pages at <http://cstools.asme.org/> as they are issued.

Errata to codes and standards may be posted on the ASME Web site under the Committee Pages to provide corrections to incorrectly published items, or to correct typographical or grammatical errors in codes and standards. Such errata shall be used on the date posted.

The Committee Pages can be found at <http://cstools.asme.org/>. There is an option available to automatically receive an e-mail notification when errata are posted to a particular code or standard. This option can be found on the appropriate Committee Page after selecting “Errata” in the “Publication Information” section.

ASME is the registered trademark of The American Society of Mechanical Engineers.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not “approve,” “rate,” or “endorse” any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assumes any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

No part of this document may be reproduced in any form,
in an electronic retrieval system or otherwise,
without the prior written permission of the publisher.

The American Society of Mechanical Engineers
Three Park Avenue, New York, NY 10016-5990

Copyright © 2012 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All rights reserved
Printed in U.S.A.

CONTENTS

Foreword	v
Committee Roster	vii
Correspondence With the B29 Committee	viii
1 Roller Chain	1
2 Attachments	2
3 Sprockets	3
Figures	
1 Precision Power Transmission Roller Chain and Components	5
2 Offset Link Plate	6
3 Attachments	6
4 Types of Sprockets	7
5 Sprocket Flange Location and Thickness	8
6 Theoretical Tooth Form	9
7 Sprocket Diameters	12
Tables	
1 General Chain Dimensions, in. and lb	13
1M General Chain Dimensions, mm and N	14
2 Maximum Width Over Regular Pin, in.	15
2M Maximum Width Over Regular Pin, mm	16
3 Dimensional Limits for Interchangeable Chain Links, in.	17
3M Dimensional Limits for Interchangeable Chain Links, mm	18
4 Straight Link Plate Extension Dimensions, in.	19
4M Straight Link Plate Extension Dimensions, mm	19
5 Bent Link Plate Extension Dimensions, in.	20
5M Bent Link Plate Extension Dimensions, mm	20
6 Extended Pin Dimensions	21
7 Sprocket Tooth Section Profile Dimensions of Commercial and Precision Sprockets, in.	22
7M Sprocket Tooth Section Profile Dimensions of Commercial and Precision Sprockets, mm	23
8 Maximum Eccentricity and Face Runout Tolerances for Commercial Sprockets (Measured as Total Indicator Reading), in.	24
8M Maximum Eccentricity and Face Runout Tolerances for Commercial Sprockets (Measured as Total Indicator Reading), mm	24
9 Maximum Eccentricity and Face Runout Tolerances for Precision Sprockets (Measured as Total Indicator Reading), in.	24
9M Maximum Eccentricity and Face Runout Tolerances for Precision Sprockets (Measured as Total Indicator Reading), mm	24
10 Sprocket Flange Thickness, in.	25
10M Sprocket Flange Thickness, mm	25
11 Seating Curve Dimensions and Tolerances, in.	26
11M Seating Curve Dimensions and Tolerances, mm	26
12 Minus Tolerances on the Caliper Diameters of Commercial Sprockets for Various Numbers of Teeth, in.	27
12M Minus Tolerances on the Caliper Diameters of Commercial Sprockets for Various Numbers of Teeth, mm	27
13 Minus Tolerances on the Caliper Diameters of Precision Sprockets for Various Numbers of Teeth, in.	28

13M	Minus Tolerances on the Caliper Diameters of Precision Sprockets for Various Numbers of Teeth, mm	28
14	Pitch Diameter, Outside Diameter, and Measuring Dimension Factor for Chain of Unity Pitch	29
15	Whole Depth of Topping Hob Cut, <i>WD</i> , for Each Pitch and Range, in.	32
15M	Whole Depth of Topping Hob Cut, <i>WD</i> , for Each Pitch and Range, mm	33
Nonmandatory Appendices		
A	Supplementary Information on Chain Selection	35
B	Supplementary Information on Equations for Power Ratings	61
C	Supplementary Information on Sprocket Cutting Tools	64