


STP-PT-006

# DESIGN GUIDELINES FOR HYDROGEN PIPING AND PIPELINES



Date of Issuance: December 7, 2007

This report was prepared as an account of work sponsored by ASME Pressure Technology Codes & Standards and the ASME Standards Technology, LLC (ASME ST-LLC).

Neither ASME, ASME ST-LLC, the authors, nor others involved in the preparation or review of this report, nor any of their respective employees, members, or persons acting on their behalf, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe upon privately owned rights.

Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by ASME ST-LLC or others involved in the preparation or review of this report, or any agency thereof. The views and opinions of the authors, contributors, reviewers of the report expressed herein do not necessarily reflect those of ASME ST-LLC or others involved in the preparation or review of this report, or any agency thereof.

ASME ST-LLC does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a publication against liability for infringement of any applicable Letters Patent, nor assumes any such liability. Users of a publication are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this publication.

ASME is the registered trademark of The American Society of Mechanical Engineers.

No part of this document may be reproduced in any form,  
in an electronic retrieval system or otherwise,  
without the prior written permission of the publisher.

ASME Standards Technology, LLC  
Three Park Avenue, New York, NY 10016-5990

ISBN No. 0-7918-3137-x

Copyright © 2007 by  
ASME Standards Technology, LLC  
All Rights Reserved

## TABLE OF CONTENTS

FOREWORD.....	v
ABSTRACT .....	vi
1 INTRODUCTION .....	1
2 DEFINITIONS.....	2
3 REVIEW OF HYDROGEN EFFECTS ON PIPING AND PIPELINE MATERIALS.....	3
3.1 Overview of Metallic Pipe Materials .....	3
3.1.1 Hydrogen Damage and the Influence of Pressure .....	3
3.1.2 Hydrogen Stress Cracking.....	5
3.2 Overview of Nonmetallic Pipe Materials .....	5
3.2.1 Thermoplastic Pipe Considerations.....	5
3.2.2 Fiber-Reinforced Lined Pipe .....	6
4 DISCUSSION OF DESIGN FACTOR RATIONALE.....	8
4.1 Metallic Pipe Materials .....	8
4.1.1 Carbon Steels.....	8
4.1.2 Low-Alloy Carbon Steels.....	9
4.1.3 Austenitic Stainless Steels.....	9
4.1.4 Martensitic, Ferritic and Duplex Stainless Steels.....	10
4.1.5 Aluminum Alloys.....	10
4.1.6 Copper and Copper Alloys.....	10
4.1.7 Titanium Alloys.....	10
4.1.8 Cast Irons.....	10
5 DESIGN LIFE .....	11
5.1 Piping Systems .....	11
5.2 Pipeline Systems.....	11
6 NONDESTRUCTIVE EXAMINATION (NDE) .....	12
6.1 Piping Systems .....	12
6.1.1 Industrial Piping Systems.....	12
6.1.2 Commercial and Residential Piping Systems.....	12
6.2 Pipeline Systems.....	12
6.2.1 Pipelines Whose Design Pressure is $\leq 2200$ psi and Pipe Material has a SMYS $\leq 52$ ksi .....	13
6.2.2 Pipelines Whose Design Pressure is Larger than 2200 psi (15 MPa) or Pipe Material Has a SMYS Larger than 52 ksi (358 MPa) .....	13
7 IN-SERVICE INSPECTION RECOMMENDATIONS FOR PIPING AND PIPELINE SYSTEMS .....	14
7.1 In-service Inspection/Integrity Management of Industrial, Commercial and Residential Piping Systems .....	14
7.1.1 Industrial Piping Systems.....	14
7.1.2 Commercial and Residential Piping Systems.....	16
7.2 Pipeline Systems.....	16
8 RECOMMENDATIONS FOR RESEARCH ON MATERIALS IN DRY HYDROGEN GAS SERVICE.....	18
8.1 Carbon Steels.....	18

8.2 Stainless Steels.....	19
8.3 Other Metals .....	19
8.4 Plastics .....	19
9 TABLES OF DESIGN FACTORS FOR METALLIC PIPE MATERIALS .....	21
9.1 Design Factor Table Population Methodology .....	23
9.1.1 First or Base Row Population .....	23
9.1.2 Population of Columns .....	23
REFERENCES .....	26
ACKNOWLEDGMENTS .....	29

## LIST OF TABLES

Table 1 Design Factors for Piping, Carbon Steel.....	21
Table 2 Design Factors for Piping, Low-and Intermediate-Alloy Steels.....	21
Table 3 Design Factors for Pipeline, Carbon Steel Location Class 3 .....	22
Table 4 Design Factors for Pipeline, Carbon Steel Location Class 4 .....	22

## LIST OF FIGURES

Figure 1 Reduction of Tensile Properties in Hydrogen from those in Helium as a Function of Hydrogen Pressure for ASTM A-302 .....	4
Figure 2 Schematic of a Cross Section of a Pipeline .....	24

## LIST OF EQUATIONS

Equation 1 Steady State Lattice Hydrogen Concentration.....	23
Equation 2 Lattice Hydrogen Concentration—Functions.....	24
Equation 3 Lattice Hydrogen Concentration—Experimentally Measured Safe .....	24
Equation 4 Stresses in Cylindrical Vessel under Internal Pressure.....	24
Equation 5 Hydrostatic Stress .....	24
Equation 6 Safety Condition—Hoop Stress.....	25
Equation 7 Safety Condition—Design Stress .....	25
Equation 8 Tensile and Yield Stress .....	25

## FOREWORD

Commercialization of hydrogen fuel cells, in particular fuel cell vehicles, will require development of an extensive hydrogen infrastructure comparable to that which exists today for petroleum. This infrastructure must include the means to safely and efficiently generate, transport, distribute, store, and use hydrogen as a fuel. Standardization of pressure retaining components, such as tanks, piping and pipelines, will enable hydrogen infrastructure development by establishing confidence in the technical integrity of products.

Since 1884, the American Society of Mechanical Engineers (ASME) has been developing codes and standards (C&S) that protect public health and safety. The traditional approach to standards development involved writing prescriptive standards only after technology has been established and commercialized. With the push toward a hydrogen economy, government and industry have realized that they cannot afford a hydrogen-related safety incident that may undermine consumer confidence. As a result, ASME has adopted a more anticipatory approach to standardization for hydrogen infrastructure which involves writing standards with more performance-based requirements in parallel with technology development and before commercialization has begun.

The ASME B31 Standards Committee has established a new Section Committee, B31.12, to develop new Code rules for piping and pipelines in hydrogen infrastructure applications. Research activities are being coordinated to develop data and technical reports concurrent with standards development and have been prioritized per B31.12 Section Committee needs.

The Technical Reports to be developed will establish data and other information to be used to support and facilitate separate initiatives to develop ASME standards for the hydrogen infrastructure. An initial report, developed under the sponsorship of the National Renewable Energy Laboratory (NREL), Hydrogen Standardization Interim Report for Tanks, Piping and Pipelines was, issued on May 3, 2005. This interim report addressed priority topical areas within each of the four pressure technology applications for hydrogen infrastructure development: storage (stationary) tanks, transport tanks, piping and pipelines and vehicle fuel tanks.

The present report builds on the work of the interim report to develop specific recommendations for design guidelines for hydrogen piping and pipelines.

Established in 1880, the American Society of Mechanical Engineers (ASME) is a 127,000-member professional not-for-profit organization focused on technical, educational and research issues of the engineering and technology community. ASME conducts one of the world's largest technical publishing operations, holds numerous technical conferences worldwide, and offers hundreds of professional development courses each year. ASME maintains and distributes 600 Codes and Standards used around the world for the design, manufacturing and installation of mechanical devices. Visit [www.asme.org](http://www.asme.org) for more information.

The ASME Standards Technology, LLC (ASME ST-LLC) is a not-for-profit Limited Liability Company, with ASME as the sole member, formed in 2004 to carry out work related to newly commercialized technology. The ASME ST-LLC mission includes meeting the needs of industry and government by providing new standards-related products and services, which advance the application of emerging and newly commercialized science and technology and providing the research and technology development needed to establish and maintain the technical relevance of codes and standards. Visit [www.stllc.asme.org](http://www.stllc.asme.org) for more information.

## **ABSTRACT**

This report provides recommendations and guidance to the ASME B31.12 Hydrogen Piping and Pipelines Section Committee for design factors for metallic and nonmetallic pipe materials when used in a dry hydrogen gas environment; design life considerations; nondestructive examination (NDE) recommendations; in-service inspection (integrity management) recommendations; research needs and recommendations. The scope of this report includes all common metallic piping and pipeline materials used in the construction of piping and pipeline systems, of seamless and welded construction; composite reinforced welded or seamless metallic-lined piping and pipelines that are currently commercially manufactured and for which technical design data is available; composite reinforced plastic-lined piping and pipelines that are currently commercially manufactured and for which technical design data are available. Design factors are developed considering the operating conditions, internal hydrogen environment within the piping and pipeline systems and the effect of dry hydrogen gas on the material of construction. Composite piping and pipeline line pipe are considered as hoop-wrapped construction with liners capable of withstanding longitudinal loads. Other examination and inspection recommendations are made using similar considerations. Research recommendations are made based on lack or vagueness of existing data or where the research results were not readily adaptable to engineering use.