

ASME NOG-1–2025
(Revision of ASME NOG-1–2020)

Rules for Construction of Overhead and Gantry Cranes (Top Running Bridge, Multiple Girder)

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**

ASME NOG-1-2025
(Revision of ASME NOG-1-2020)

Rules for Construction of Overhead and Gantry Cranes (Top Running Bridge, Multiple Girder)

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**

Two Park Avenue • New York, NY • 10016 USA

Date of Issuance: March 18, 2026

The next edition of this Standard is scheduled for publication in 2030.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The standards committee that approved the code or standard was balanced to ensure that individuals from competent and concerned interests had an opportunity to participate. The proposed code or standard was made available for public review and comment, which provided an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not “approve,” “certify,” “rate,” or “endorse” any item, construction, proprietary device, or activity. ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor does ASME assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representatives or persons affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

The endnotes and preamble in this document (if any) are part of this American National Standard.



ASME Collective Membership Mark

All rights reserved. “ASME” and the above ASME symbol are registered trademarks of The American Society of Mechanical Engineers. No part of this document may be copied, modified, distributed, published, displayed, or otherwise reproduced in any form or by any means, electronic, digital, or mechanical, now known or hereafter invented, without the express written permission of ASME. No works derived from this document or any content therein may be created without the express written permission of ASME. Using this document or any content therein to train, create, or improve any artificial intelligence and/or machine learning platform, system, application, model, or algorithm is strictly prohibited.

The American Society of Mechanical Engineers
Two Park Avenue, New York, NY 10016-5990

Copyright © 2026 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS

CONTENTS

Foreword	vii
Committee Roster	viii
Correspondence With the Committee on Cranes for Nuclear Facilities	ix
Summary of Changes	xi
Section 1000	Introduction
1100	General
Section 2000	Quality Assurance
2100	Requirements
Section 3000	Coatings and Finishes
3100	Coating Service Levels
3200	Specific Requirements for Coating Service Levels
Section 4000	Requirements for Structural Components
4100	General
4200	Materials and Connections
4300	Design Criteria
4400	Component Design
Section 5000	Mechanical
5100	General
5200	Materials
5300	Design and Performance Criteria
5400	Component Design
5500	Miscellaneous
Section 6000	Electrical Components
6100	General
6200	Wiring Materials and Methods (Types I, II, and III Cranes)
6300	Performance Specifications (Types I, II, and III Cranes)
6400	Component Selection (Types I, II, and III Cranes)
6500	Electrical Equipment Testing Requirements (Types I, II, and III Cranes)
Section 7000	Inspection and Testing
7100	Tests and Acceptance Criteria
7200	Manufacturing
7300	Receipt and Storage Requirements for Storage Facility and/or Site
7400	Site
7500	Qualification for Permanent Plant Service
7600	Documentation
Section 8000	Packaging, Shipping, Receiving, Storage, and Handling
8100	General

Section 9000	Planned Engineered Lifts	129
9100	General	129
9200	Capacity Limitations	129
9300	Lift Frequency Limitations	129
9400	Inspection Frequency	129
9500	Planned Engineered Lifts for Bridge or Gantry Only	129
9600	Planned Engineered Lifts for Hoist and Trolley Only	130
9700	Required Interlocks or Stops	130
9800	Load Testing Requirements	130
9900	Crane Wheel Loads	130
 Mandatory Appendices		
I	Additional Requirements	131
II	Criteria Required for Structural Qualification of an Existing Crane Bridge for Use With an ASME NOG-1 Type I Hoist and Trolley	135
 Nonmandatory Appendices		
A	Recommended Practices	140
B	Commentary	145
C	NUREG-0554/ASME NOG-1 Conformance Matrix	151
D	ASME NOG-1 Type I Crane FMEA Documentation of Hoist Drive System Mechanical Components	183
 Figures		
1110-1	Crane Boundary	1
4153.3-1	Typical Four-Wheel Trolley Model for Seismic Analysis	19
4153.3-2	Typical Four-Wheel Overhead Crane Model for Seismic Analysis	20
4153.3-3	Typical Four-Wheel Gantry Crane Model for Seismic Analysis	20
4153.3-4	Typical Four-Wheel Semi-Gantry Crane Model for Seismic Analysis	21
4160-1	Runway Rail Alignment Tolerance	27
5411.5-1	Drum Shell Design	52
5413.1-1	Allowable Yield Stress, s_{ay}	56
5416.1-1	Typical Hoist Machinery Arrangement With Emergency Brake	59
5416.1-2	Typical Hoist Machinery Arrangement With Redundant Gear Reducers and Brakes	60
5416.1-3	Typical Redundant-Hoist Machinery Arrangement	61
5420-1	Single-Failure-Proof Reeving Example	62
5420-2	Single and Double Reeving	63
5426.1-1	Drum Fleet Angle	66
5426.1-2	Sheave Fleet Angle	66
5427.1-1	Proportions for 24:1 Sheave-to-Rope Ratio	67
5427.1-2	Proportions for 30:1 Sheave-to-Rope Ratio	68
5430-1	Arrangement of Crane Trolley Drives	70
5440-1	Arrangement of Crane Bridge Drives	72
5440-2	Arrangement of Polar Cranes	73
5452.4-1	Minimum Flange Widths and Heights	77
5459.3-1	Power or Control Circuit Limit Switch With Geared Upper Limit Switch	83

5459.3-2	Power or Control Circuit Limit Switch	83
5474-1	Allowable Bending Stress	85
5474-2	Allowable Tension or Compression Stress	86
5474-3	Allowable Shear Stress	87
5477-1	Typical Hook Cross-Section	89
5477-2	Single-Prong (Fish) Hook Configuration	89
5477-3	Equivalent Section	90
5478-1	Duplex (Sister) Hook Without a Pinhole	92
5478-2	Duplex (Sister) Hook With a Pinhole	92
6472.2-1	K_a Factors for AC and Adjustable Voltage DC Motors (Without Field Weakening)	108
6472.2-2	Typical Polar Crane	109
6473-1	Typical Characteristic Curves for AC Wound Rotor Motors (Examples for 0.75 per Unit Horsepower and 20% Total Resistance)	112
7521.2-1	Inspection for Wheel Wear	126
A-3231.2-1	Ambient Conditions Chart	141
B-5476-1	Plain Pin	148
B-5476-2	Stepped Drive Shaft With Fillet Radius	148
D-6100-1	Example 1 — Plan View Drive System Components: NOG Type I Wire Rope Hoist With Drum Brake	188
D-6200-1	Example 2 — Plan View Drive System Components: NUM Type IB Wire Rope Hoist With Dual Holding Brakes	192

Tables

4153.6-1	Boundary Conditions: Trolley Wheels to Bridge Rails	22
4153.6-2	Boundary Conditions: Bridge Wheels to Crane Runway Rails	23
4211-1	Acceptable Materials and Reference Properties for Structural Components	28
4212-1	Required C_v Energy Values for Structural Materials (Except Bolting)	29
4221-1	Acceptable Fastener Materials for Structural Connections for Types I and II Cranes . .	30
4221-2	Fastener Materials That May Be Galvanized	30
4222-1	C_v Energy Values for Fastener Materials	31
4232-1	Test Temperature for Filler Metal — Charpy V-Notch Impact Tests With 20 ft-lb Average Energy	31
4251.5-1	Exemptions to Mandatory Postweld Heat Treatment	32
4311-1	Maximum Allowable Stresses in Structural Steel Members	33
4315-1	Allowable Stresses for Bolts Other Than ASTM A325 or ASTM A490	34
4331.1-1	Buckling Coefficients, K_σ and K_τ , for Plates Supported on All Four Edges	37
4332.1-1	Required Design Factors DFB_{req}	38
5331.1-1	Rated Load Recommended Hoist Speeds	49
5332.1-1	Rated Load Recommended Trolley Speeds	49
5333.1-1	Rated Load Recommended Bridge Speeds	49
5413.1-1	Gearing Allowable Stresses	55
5413.1-2	Load Distribution R Factors	55
5415.1-1	Load Combinations — Hoist Drive Shafting	57
5452.3-1	Allowable Wheel Loads for Rim-Toughened Crane Wheels, P , lb, for Speed Factor = 1 .	76
5452.3-2	Speed Factor for Determining Allowable Maximum Wheel Load	76
5452.4-1	Guide for Wheel Flange Width and Height	78

5453.1-1	Load Combinations — Bridge and Trolley Axles	78
5454.1-1	Deflections	79
6472.2-1	Overall Friction Factors(Antifriction Bearings)	106
6472.2-2	Suggested Acceleration Rates for AC or AV Travel Drives	107
6472.2-3	Suggested Maximum Acceleration Rates to Prevent Wheel Skidding	109
6472.3-1	Duty Classes	110
7210-1	Required Inspections or Tests — Type I	116
7210-2	Required Inspections or Tests — Type II	120
8100-1	Applicable Requirements of ASME NQA-1–1994, Part II, Subpart 2.2, With Modifications of Section 8000	128
I-1180-1	SI Conversion Factors	132
I-1180-2	Conversion Factors for Weight in Tons	133
II-1	Criteria Required for Structural Qualification of an Existing Crane Bridge for Use With an ASME NOG-1 Type I Hoist and Trolley	136
II-2	Supplemental Criteria Required for Structural Qualification of an Existing Crane Bridge for Use With an ASME NOG-1 Type I Hoist and Trolley	139
B-6472.4-1	AC Motor Heating Calculation	150
C-1	NUREG-0554/ASME NOG-1 Conformance Matrix	152
D-6100-1	Example 1 — FMEA: Descriptive Inputs, Basis, and Ground Rules for an ASME NOG-1 Type I Crane (Main Hoist)	185
D-6100-2	Example 1 — FMEA: Hoist System Mechanical Components of an ASME NOG-1 Type I Crane (Main Hoist)	186
D-6200-1	Example 2 — FMEA: Descriptive Inputs, Basis, and Ground Rules for an ASME NOG-1 Type I Crane (Auxiliary Hoist)	189
D-6200-2	Example 2 — FMEA: Hoist System Mechanical Components of an ASME NOG-1 Type I Crane	190
Form		
I-5111	Crane Service Data Report Form	134