ASME NUM-1–2023
(Revision of ASME NUM-1–2016)

Rules for Construction of Cranes, Monorails, and Hoists (With Bridge or Trolley or Hoist of the Underhung Type)

AN AMERICAN NATIONAL STANDARD

The American Society of Mechanical Engineers

ASME NUM-1–2023
(Revision of ASME NUM-1–2016)

Rules for Construction of Cranes, Monorails, and Hoists (With Bridge or Trolley or Hoist of the Underhung Type)

AN AMERICAN NATIONAL STANDARD

The American Society of Mechanical Engineers
Two Park Avenue • New York, NY • 10016 USA

Date of Issuance: May 17, 2024

The next edition of this Standard is scheduled for publication in 2028.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The standards committee that approved the code or standard was balanced to ensure that individuals from competent and concerned interests had an opportunity to participate. The proposed code or standard was made available for public review and comment, which provided an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not “approve,” “certify,” “rate,” or “endorse” any item, construction, proprietary device, or activity. ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor does ASME assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representatives or persons affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

The endnotes and preamble in this document (if any) are part of this American National Standard.



ASME Collective Membership Mark

All rights reserved. “ASME” and the above ASME symbol are registered trademarks of The American Society of Mechanical Engineers. No part of this document may be copied, modified, distributed, published, displayed, or otherwise reproduced in any form or by any means, electronic, digital, or mechanical, now known or hereafter invented, without the express written permission of ASME. No works derived from this document or any content therein may be created without the express written permission of ASME. Using this document or any content therein to train, create, or improve any artificial intelligence and/or machine learning platform, system, application, model, or algorithm is strictly prohibited.

The American Society of Mechanical Engineers
Two Park Avenue, New York, NY 10016-5990

Copyright © 2024 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS

CONTENTS

Foreword x

Committee Roster xi

Correspondence With the CNF Committee xii

Summary of Changes xiv

PART GR **GENERAL REQUIREMENTS** 1

Section GR-1 **Introduction** 1

GR-1.1 General 1

GR-1.2 Scope 1

GR-1.3 Applications 2

GR-1.4 Responsibility 2

Section GR-2 **Environmental Conditions of Service** 3

GR-2.1 General 3

GR-2.2 Radiation 3

GR-2.3 Temperature and Humidity 3

GR-2.4 Pressure 4

GR-2.5 Chemicals 4

GR-2.6 Wind 4

GR-2.7 Seismic Conditions 4

GR-2.8 Drainage 4

Section GR-3 **Performance Requirements** 5

GR-3.1 General 5

GR-3.2 Service Class 5

GR-3.3 Equipment Capacity 5

GR-3.4 Operational Characteristics 5

GR-3.5 Vertical Lift Considerations 5

Section GR-4 **Coatings and Finishes** 8

GR-4.1 Coating Service Levels 8

GR-4.2 Specific Requirements for Coating Service Levels 8

Section GR-5 **Quality Assurance** 10

GR-5.1 Requirements 10

GR-5.2 Documentation 10

Section GR-6 **Definitions** 12

GR-6.1 Definitions 12

GR-6.2 Figures of Cranes 16

Section GR-7 **Referenced Codes and Standards** 36

GR-7.1 General 36

Figures

GR-6.2.1-1 Underhung Single-Girder Crane . . . 17
GR-6.2.1-2 Underhung Double-Girder Crane With Underhung Trolley . . . 18
GR-6.2.1-3 Underhung Double-Girder Crane With Top-Running Trolley . . . 18
GR-6.2.1-4 Underhung Single-Girder Semi-Gantry Crane . . . 19
GR-6.2.2-1 Top-Running Single-Girder Crane . . . 19
GR-6.2.2-2 Top-Running Double-Girder Crane . . . 20
GR-6.2.2-3 Top-Running Single-Girder Semi-Gantry Crane . . . 20
GR-6.2.2-4 Top-Running Single-Girder Gantry Crane . . . 21
GR-6.2.3-1 Traveling Wall Crane With Single-Girder Boom . . . 22
GR-6.2.4-1 Wall-Mounted Jib Cranes . . . 23
GR-6.2.4-2 Free-Standing Pillar Jib Cranes . . . 24
GR-6.2.4-3 Mast-Type Jib Cranes . . . 25
GR-6.2.5-1 Basic Monorail System . . . 26
GR-6.2.5-2 Two-Way Switch Monorail System . . . 27
GR-6.2.5-3 Three-Way Switch Monorail System . . . 27
GR-6.2.5-4 Cross-Track Switch Monorail System . . . 28
GR-6.2.5-5 Interlocking-Mechanism Monorail System . . . 28
GR-6.2.5-6 Monorail System With Lift–Drop Sections . . . 29
GR-6.2.6-1 Hand-Chain-Operated Under-Running Trolley . . . 29
GR-6.2.7-1 Electric Wire Rope Hoist . . . 30
GR-6.2.7-2 Hand-Chain Hoist . . . 30
GR-6.2.7-3 Electric Chain Hoist . . . 30
GR-6.2.7-4 Air-Operated Wire Rope Hoist . . . 31
GR-6.2.7-5 Air-Operated Chain Hoist . . . 32
GR-6.2.7.1-1 Electric- and Air-Operated Wire Rope Hoist Suspension Types . . . 33
GR-6.2.7.1-2 Hand-Chain Hoist Suspension Types . . . 34
GR-6.2.7.1-3 Electric- and Air-Operated Chain Hoist Suspension Types . . . 35

Tables

GR-1.2.1.1-1 Major Enhanced Safety Design Differences for Various Type IA and Type IB Hoist Configurations . . . 2
GR-3.2.1-1 Service Classes for Cranes and Monorails . . . 6
GR-3.2.2-1 Service Classes for Electrically Operated Hoists . . . 6
GR-3.2.3-1 Service Classes for Air-Operated Wire Rope and Chain Hoists . . . 6
GR-3.4.1-1 Recommended Electric Wire Rope Hoist Speeds . . . 7
GR-3.4.1-2 Recommended Air Hoist Speeds . . . 7
GR-3.4.1-3 Recommended Crane Bridge and Trolley Speeds . . . 7
GR-3.4.1-4 Recommended Electric Chain Hoist Speeds . . . 7
GR-3.4.2-1 Typical Hoist Hand-Chain Pull and Overhaul Characteristics . . . 7

PART CM CRANES AND MONORAILS . . . 38
Section CM-1 Introduction, Cranes and Monorails (Types I and II) . . . 38
CM-1.1 General . . . 38

Section CM-2 **Structural Requirements, Cranes and Monorails (Types I and II)** 39
CM-2.1 General Requirements for All Cranes and Monorails 39
CM-2.2 Additional Requirements Specific to Underhung Cranes 59
CM-2.3 Additional Requirements Specific to Top-Running Bridge and Gantry Cranes 59
CM-2.4 Additional Requirements Specific to Traveling Wall Cranes 64
CM-2.5 Additional Requirements Specific to Jib Cranes 64
CM-2.6 Additional Requirements Specific to Monorail Systems 65
Section CM-3 **Mechanical Requirements, Cranes and Monorails (Type I)** 67
CM-3.1 General 67
CM-3.2 Additional Design Requirements Specific to Underhung Cranes 76
CM-3.3 Additional Requirements Specific to Top-Running Bridge and Gantry Cranes 76
CM-3.4 Additional Design Requirements Specific to Traveling Wall Cranes 80
CM-3.5 Additional Requirements Specific to Jib Cranes 80
CM-3.6 Additional Requirements Specific to Monorail Systems 80
Section CM-4 **Electrical Requirements, Cranes and Monorails (Type I)** 82
CM-4.1 General 82
CM-4.2 Additional Design Requirements Specific to Jib Cranes 94
CM-4.3 Additional Design Requirements Specific to Monorail Systems 94
Section CM-5 **Pneumatic Requirements, Cranes and Monorails (Type I)** 96
CM-5.1 General 96
CM-5.2 Air Supply 96
CM-5.3 Air Motors 96
CM-5.4 Additional Air Equipment 96
CM-5.5 Air Motor Controls 96
Section CM-6 **Marking, Cranes and Monorails (Types I and II)** 97
CM-6.1 Crane and Monorail Marking 97
Section CM-7 **Inspection and Testing, Cranes and Monorails (Types I and II)** 98
CM-7.1 General 98
CM-7.2 Additional Inspection and Testing Requirements Specific to Underhung Cranes 102
CM-7.3 Additional Inspection and Testing Requirements Specific to Top-Running Bridge and Gantry Cranes 102
CM-7.4 Additional Inspection and Testing Requirements Specific to Traveling Wall Cranes . . . 102
CM-7.5 Additional Inspection and Testing Requirements Specific to Jib Cranes 102
CM-7.6 Additional Inspection and Testing Requirements Specific to Monorail Systems 102

Figures

CM-2.1.1.2-1 Wheel-Skewing Forces 40
CM-2.1.3.4.6-1 Boundary Conditions for Wheel-to-Rail Interface 44
CM-2.1.4-1 Building Runway Alignment Tolerance for Patent Track 47
CM-2.1.4-2 Building Runway Alignment Tolerance 48
CM-2.1.6.2.3-1 Local Bending of Flanges due to Wheel Loads 55
CM-2.1.6.2.3-2 Local Loading on Tapered Flanges of a Standard S-Shaped Beam 55
CM-2.1.6.2.3-3 Local Loading on Parallel Flanges of a Wide Flange W-Shaped Beam 55
CM-2.1.6.2.3-4 Local Loading on Parallel Flanges of the Lower Chord of a Box Girder 55
CM-2.1.6.4.1-1 Joint Configuration 63

CM-3.1.4.4.1-1 Bridge Span 74
CM-3.2.1-1 Arrangement of Crane Bridge Drives (A-2 Drive) 77
CM-3.2.1-2 Arrangement of Crane Bridge Drives (A-4 Drive) 78
CM-3.3.1.1-1 Arrangement of Crane Bridge Drives (A-1 Drive) 79
CM-3.3.1.1-2 Arrangement of Crane Bridge Drives (A-2 Drive) 79
CM-3.3.1.1-3 Arrangement of Crane Bridge Drives (A-4 Drive) 79
CM-4.1.1.5.1-1 Arrangement of Pendant Push-Button Controllers 89
CM-4.1.1.5.2-1 Arrangement of Cab Master-Switch Controllers 90
CM-4.1.1.5.3-1 Arrangement of Radio-Transmitter Lever-Switch Controllers 91
CM-4.1.1.7.2-1 Various Styles of Conductor System Types 92
CM-4.2.2-1 Slew Drive Motor Size Selection 95

Tables

CM-2.1.2-1 Load Designations 41
CM-2.1.3.4.6-1 Boundary Conditions for Wheel-to-Rail Interface 45
CM-2.1.5.1-1 Acceptable Materials and Reference Properties for Structural Components 49
CM-2.1.5.1-2 Required Inspection or Tests 50
CM-2.1.6.1.1-1 Allowable Stresses (Members Not Controlled by Buckling) 51
CM-2.1.6.1.2-1 Modifying Coefficient, N 52
CM-2.1.6.1.5-1 Bolt Allowable Stresses 52
CM-2.1.6.2.4-1 Bolt Shear and Tension Factor, R 56
CM-2.1.6.3.2-1 Design Factor for Buckling, DFB 56
CM-2.1.6.3.2-2 Value of the Buckling Coefficients, K_σ and K_τ, for Plates Supported at Their Four Edges 57
CM-2.1.6.3.3-1 Spacing Coefficient, C 58
CM-2.1.6.4.1-1 Allowable Stress Ranges 59
CM-2.1.6.4.1-2 Fatigue Stress Provisions — Tension or Reversal Stresses 60
CM-3.1.4.1.2-1 Crane Class Factors for Strength Horsepower Rating, S_{fs} 69
CM-3.1.4.1.2-2 Machinery Service Factor, C_d 69
CM-3.1.4.2-1 ABMA L10 Bearing Life 69
CM-3.1.4.3.5-1 Crane Class Factor, K_c 71
CM-3.1.4.3.5-2 Surface Condition Factor, K_{sc} 71
CM-3.1.4.4.1-1 Maximum Permissible Bridge Wheel Loading 73
CM-3.1.4.4.1-2 Bridge Load Factor, K_{bw} 74
CM-3.1.4.4.1-3 Speed Factor, C_s 74
CM-3.1.4.4.1-4 Wheel Service Factor, S_m, and Minimum Service Factor, K_{wl} 75
CM-3.1.4.4.2-1 Maximum Wheel Loads for I Beams and Wide-Flange Beams 75
CM-4.1.1.1.4-1 AC Contactor Ratings for AC Wound Rotor Motors 83
CM-4.1.1.1.4-2 AC Contactor Ratings for AC Squirrel-Cage Motors 83
CM-4.1.1.1.4-3 DC Contactor Ratings for DC Motors (230 V to 250 V DC) 83
CM-4.1.1.1.4-4 AC Contactor Ratings for Mainline Service 84
CM-4.1.1.1.4-5 DC Contactor Ratings for Mainline Service (230 V to 250 V DC) 84
CM-4.1.1.1.5-1 NEMA Resistor Classification 84
CM-4.1.1.2.2-1 Standard Rated Motor Voltages 85
CM-4.1.1.2.4-1 Standard Maximum Acceleration Rate to Prevent Wheel Skidding 86
CM-4.1.1.2.4-2 Standard Bridge Motion Acceleration Rates 86

CM-4.1.1.2.4-3 Mechanical Efficiency, E, of Drive Machinery . . . 86
CM-4.1.1.2.4-4 Standard Values for Friction Factor, f, for Bridges With Metallic Wheels and Antifriction Bearings . . . 87
CM-4.1.1.2.4-5 Standard Values of Accelerating Torque Factor, K_t . . . 87

PART HT HOISTS AND TROLLEYS . . . 104
Section HT-1 Introduction . . . 104
HT-1.1 General . . . 104
Section HT-2 Powered Wire Rope Hoists (Type IA) . . . 105
HT-2.1 General . . . 105
HT-2.2 Equipment Configurations (Type IA) . . . 105
HT-2.3 Mechanical Requirements (Type IA) . . . 105
HT-2.4 Electrical Requirements (Type IA) . . . 113
HT-2.5 Pneumatic Requirements (Type IA) . . . 116
HT-2.6 Operator Control Station (Type IA) . . . 116
HT-2.7 Seismic Requirements (Type IA) . . . 117
HT-2.8 Hoist Marking (Type IA) . . . 117
HT-2.9 Inspections and Tests for Powered Wire Rope Hoists (Type IA) . . . 117
Section HT-3 Powered Wire Rope Hoists (Type IB) . . . 120
HT-3.1 General . . . 120
HT-3.2 Equipment Configurations (Type IB) . . . 120
HT-3.3 Mechanical Requirements (Type IB) . . . 120
HT-3.4 Electrical Requirements (Type IB) . . . 123
HT-3.5 Pneumatic Requirements (Type IB) . . . 124
HT-3.6 Seismic Requirements (Type IB) . . . 124
HT-3.7 Hoist Marking (Type IB) . . . 124
HT-3.8 Inspections and Tests (Type IB) . . . 125
Section HT-4 Powered Chain Hoists (Type IB) . . . 127
HT-4.1 General . . . 127
HT-4.2 Equipment Configurations (Type IB) . . . 127
HT-4.3 Mechanical Requirements (Type IB) . . . 127
HT-4.4 Electrical Requirements (Type IB) . . . 130
HT-4.5 Pneumatic Requirements (Type IB) . . . 131
HT-4.6 Seismic Requirements (Type IB) . . . 131
HT-4.7 Hoist Marking (Type IB) . . . 131
HT-4.8 Inspections and Tests (Type IB) . . . 131
Section HT-5 Hand-Chain Hoists (Type IB) . . . 134
HT-5.1 General . . . 134
HT-5.2 Equipment Configurations (Type IB) . . . 134
HT-5.3 Mechanical Requirements (Type IB) . . . 134
HT-5.4 Seismic Requirements (Type IB) . . . 136
HT-5.5 Hoist Marking (Type IB) . . . 136
HT-5.6 Inspections and Tests (Type IB) . . . 136
Section HT-6 Under-Running Trolleys (Type IB) . . . 139

HT-6.1 General . . . 139
HT-6.2 Trolley Configurations (Type IB) . . . 139
HT-6.3 Trolley Design Criteria (Type IB) . . . 140
HT-6.4 Seismic Requirements (Type IB) . . . 141
HT-6.5 Trolley Marking (Type IB) . . . 141
HT-6.6 Inspections and Tests (Type IB) . . . 141
Section HT-7 Common NDE Criteria for Hoists and Trolleys . . . 144
HT-7.1 General . . . 144
HT-7.2 Surface MT or PT Criteria . . . 144
HT-7.3 NDE Weld Criteria . . . 144
HT-7.4 Charpy-V or Drop-Weight Impact Testing Criteria . . . 144
HT-7.5 UT Volumetric Testing Criteria . . . 144

Figures

HT-2.2-1 Type IA Wire Rope Dual Hoist Drive Unit With Single Drum . . . 106
HT-2.2-2 Type IA Wire Rope Single Hoist Drive Unit With Drum Brake . . . 106
HT-2.2-3 Type IA Wire Rope Dual Hoist Drive Unit With Dual Drum . . . 106
HT-2.3.1-1 Type IA Redundant Reeving With Single Drum (With Upper Equalizer Sheaves) . . . 107
HT-2.3.1-2 Type IA Redundant Reeving With Single Drum (With Equalizer Bar) . . . 108
HT-2.3.1-3 Type IA Redundant Reeving With Dual Drum . . . 109
HT-2.3.3-1 Drum Fleet Angle . . . 110
HT-2.3.3-2 Sheave Fleet Angle . . . 110
HT-3.2-1 Type IB Wire Rope Hoist Unit With Dual Holding Brakes . . . 121
HT-3.2-2 Type IB Wire Rope Hoist With One Holding Brake and Mechanical Load Brake . . . 121
HT-3.3.1-1 Single-Reeved Hoist . . . 122
HT-3.3.1-2 Double-Reeved Hoist . . . 122
HT-4.2-1 Type IB Powered Chain Hoist With Dual Braking System . . . 128
HT-4.2-2 Type IB Powered Chain Hoist With Single Holding Brake and Secondary (Motor/Drivetrain) Braking Means . . . 128
HT-4.3.1-1 Powered Chain Hoist With Two-Part Reeving . . . 129
HT-4.3.1-2 Powered Chain Hoist With Single-Part Reeving . . . 129
HT-5.2-1 Type IB Hand-Chain Hoist Major Drive Components . . . 134
HT-5.3.1-1 Hand-Chain Hoist With Single-Part Reeving . . . 135
HT-5.3.1-2 Hand-Chain Hoist With Two-Part Reeving . . . 135
HT-6.2-1 Typical Independent Trolley Unit . . . 139
HT-6.2-2 Typical Integral Trolley Unit . . . 140

Tables

HT-2.3.4-1 Minimum Pitch Diameter of Running Sheaves . . . 111
HT-2.3.5-1 Minimum Pitch Diameter of Drums . . . 111
HT-2.3.6.1-1 Bearing Life Expectancy . . . 111
HT-2.3.7-1 Machinery Service Factor, C_d . . . 112
HT-2.3.7-2 Hoist Duty Class Factor (Strength), S_{fs} . . . 112
HT-2.4.3.2-1 Standard Rated Motor Voltages . . . 114
HT-2.9.1-1 Required Hoist Component Inspections or Tests (Type IA Powered Wire Rope Hoists) 119

HT-3.8.1-1 Required Hoist Component Inspections or Tests (Type IB Powered Wire Rope Hoists) 125
HT-4.8.1-1 Required Hoist Component Inspections or Tests (Type IB Powered Chain Hoists) 132
HT-5.6.1-1 Required Hoist Component Inspections or Tests (Type IB Hand-Chain Hoists) 137
HT-6.3.1-1 Under-Running Type IB Design Factors for Independent Trolleys 140
HT-6.3.1-2 Under-Running Type IB Design Factors for Integral Trolleys 141
HT-6.6.1-1 Required Under-Running Trolley Component Inspections or Tests (Type IB Independent or Integral Trolleys) 142

Mandatory Appendix

I SI Conversion Factors 146

Tables

I-1-1 SI Conversion Factors 147
I-1-2 Conversion Factors for Weight, ton 148

Nonmandatory Appendix

A Examples 149

Figure

A-2-1 Lower Flange Bending 151