FORM QEXP-2 SUGGESTED FORMAT FOR TUBE-TO-TUBESHEET EXPANDING PROCEDURE QUALIFICATION RECORD FOR TEST QUALIFICATION (TEPQR)

| Company name | | | | |
|---------------------------------------|--------------|--|--|--|
| Procedure Qualification Record number | Date | | | |
| TEPS no | | | | |
| Expanding process(es) | Driver types | | | |
| Expanded tube length | Tube pitch | | | |
| Joints (HH-7) | | | | |

| Sketch of Test Array | | | | | |
|---|-------------------------------------|--|--|--|--|
| Tubesheet Material(s) | | | | | |
| Material spec | Type or grade | | | | |
| Diameter and thickness of test specimen | Hole diameter and pitch arrangement | | | | |
| No. and location of joints to be tested | | | | | |
| No. and description of annular grooves | | | | | |
| Hole surface finish | | | | | |
| Yield stress (from mill test report) | | | | | |
| Other | | | | | |
| Testing Apparatus (Manufacturer, type, calibration date) Rate of loading to avoid impact [Maximum ¹ / ₂ in. (13 mm) per minute] | | | | | |
| Tube Material(s) | | | | | |
| Material spec | Type or grade | | | | |
| Diameter and thickness (min./avg.) | | | | | |
| Yield stress (from mill test report) | | | | | |
| Other | | | | | |

FORM QEXP-2 (Back)

| - | | | | | | | | | | |
|---|----------------------|----------|--------------|-------------------------|------------|-----------------------|----------------------|--|--|--|
| Tube No. | Position in Array | Diameter | Thickness | Cross-Sectional Area | Test Temp. | L ₁ (test) | Manner of Failure | | | |
| | Anay | Diameter | THICKNESS | Alea | iest temp. | | Tallule | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | Position in | | | Cross-Sectional | Ambient | | Manner of | | | |
| Tube No. | Array | Diameter | Thickness | Area | Temp. | L_2 (test) | Failure | | | |
| | | | | | • | 2 | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| Mean value of L ₁ (test) Mean value of L ₂ (test) | | | | | | | | | | |
| | | | | | | | | | | |
| Standard d | ieviation | | Standard dev | iation | | tory /-20.4.5) | | | | |
| f (test) (see | - UW/-20 4 4) | | | | (see OW | /-20.4.5/ | | | | |
| <i>r</i> ^{<i>r</i>} (1001) (001) | | | | | _ | | | | | |
| Operator's | name | | | | Clock no |) | | | | |
| eponator o | | | | | | | | | | |
| | | | Manufactur | er | | | | | | |
| Date | | | - 1 | Зу | | | | | | |
| Remarks: | | | | | | | | | | |

Shear Load Test (See Figure UW-20.3)