

ASME MFC-26–2011

Measurement of Gas Flow by Bellmouth Inlet Flowmeters

AN AMERICAN NATIONAL STANDARD



The American Society of
Mechanical Engineers

ASME MFC-26-2011

Measurement of Gas Flow by Bellmouth Inlet Flowmeters

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**

Three Park Avenue • New York, NY • 10016 USA

Date of Issuance: August 1, 2011

This Standard will be revised when the Society approves the issuance of a new edition. There will be no addenda issued to this edition.

ASME issues written replies to inquiries concerning interpretations of technical aspects of this Standard. Periodically certain actions of the ASME MFC Committee may be published as Cases. Cases and interpretations are published on the ASME Web site under the Committee Pages at <http://cstools.asme.org> as they are issued.

ASME is the registered trademark of The American Society of Mechanical Engineers.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not approve, rate, or endorse any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assumes any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

No part of this document may be reproduced in any form,
in an electronic retrieval system or otherwise,
without the prior written permission of the publisher.

The American Society of Mechanical Engineers
Three Park Avenue, New York, NY 10016-5990

Copyright © 2011 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All rights reserved
Printed in U.S.A.

CONTENTS

Foreword		iv
Committee Roster		v
Correspondence With the MFC Committee		vi
1	General	1
2	References	1
3	Definitions and Symbols	2
4	Principle of Measurement and Method of Computation	3
5	Flow Conditioning	11
6	General Requirements	12
7	Discharge Coefficient Development	14
8	Uncertainties in the Measurement of Flow Rate	16
Figures		
4.1-1	Bellmouth Inlet Flow Nozzle — General Description (Side View)	6
4.1-2	Bellmouth Inlet Flow Nozzle — General Description (Front View)	6
4.3-1	Clean Inlet Method	8
4.3-2	Combo Probe: P_t and P_s Method	9
4.3-3	Combo Probe: P_t and T_t Method	10
5.2-1	Typical Boundary Layer Growth, Flat Plate Model	12
7.3-1	Inlet Instrumentation (Technique From Para. 4.3.1)	15
Table		
3.3-1	Symbols	4
Nonmandatory Appendices		
A	Sample Calculation Equation Set	19
B	Example of Empirically Derived Sensitivity	20
C	Derivation of Sample Equation	21
D	References for Additional Reading	25