

ASME B16.24-2021
(Revision of ASME B16.24-2016)

Cast Copper Alloy Pipe Flanges, Flanged Fittings, and Valves

**Classes 150, 300, 600, 900,
1500, and 2500**

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**

ASME B16.24-2021
(Revision of ASME B16.24-2016)

Cast Copper Alloy Pipe Flanges, Flanged Fittings, and Valves

**Classes 150, 300, 600, 900,
1500, and 2500**

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**

Two Park Avenue • New York, NY • 10016 USA

Date of Issuance: April 8, 2022

The next edition of this Standard is scheduled for publication in 2026.

ASME issues written replies to inquiries concerning interpretations of technical aspects of this Standard. Periodically certain actions of the ASME B16 Committee may be published as Cases. Cases and interpretations are published on the ASME website under the Committee Pages at <http://cstools.asme.org> as they are issued.

Errata to codes and standards may be posted on the ASME website under the Committee Pages to provide corrections to incorrectly published items, or to correct typographical or grammatical errors in codes and standards. Such errata shall be used on the date posted.

The Committee Pages can be found at <http://cstools.asme.org/>. There is an option available to automatically receive an e-mail notification when errata are posted to a particular code or standard. This option can be found on the appropriate Committee Page after selecting “Errata” in the “Publication Information” section.

ASME is the registered trademark of The American Society of Mechanical Engineers.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The standards committee that approved the code or standard was balanced to ensure that individuals from competent and concerned interests had an opportunity to participate. The proposed code or standard was made available for public review and comment, which provided an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not “approve,” “rate,” or “endorse” any item, construction, proprietary device, or activity. ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representatives or persons affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

No part of this document may be reproduced in any form,
in an electronic retrieval system or otherwise,
without the prior written permission of the publisher.

The American Society of Mechanical Engineers
Two Park Avenue, New York, NY 10016-5990

Copyright © 2022 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All rights reserved

CONTENTS

Foreword	iv
Committee Roster	vi
Correspondence With the B16 Committee	vii
Summary of Changes	ix
List of Changes in Record Number Order	x
1 Scope	1
2 General	1
3 Pressure–Temperature Ratings	2
4 Size and Method of Designating Openings	3
5 Marking	3
6 Materials	6
7 Flange and Valve Body Dimensions	7
8 Fitting and Valve Dimensions	7
9 Bolting and Gaskets	14
10 Tolerances	14
11 Pressure Testing	15
Mandatory Appendices	
I ASTM B148 Valve Construction Supplemental Requirements	16
II References	19
Nonmandatory Appendices	
A Quality System Program	20
B Method Used for Establishing Pressure–Temperature Ratings	21
Figure	
4.2-1 Method of Designating Outlets of Reducing Fittings	5
Tables	
3.1-1 Pressure–Temperature Ratings for ASTM B61 Alloy C92200 and ASTM B62 Alloy C83600	3
3.1-1C Pressure–Temperature Ratings for ASTM B61 Alloy C92200 and ASTM B62 Alloy C83600	3
3.1-2 Pressure–Temperature Ratings for ASTM B148 Alloy C95200 Flanges	4
3.1-3 Pressure–Temperature Ratings for ASTM B148 Alloy C95400 Flanges	4
3.1-4 Pressure–Temperature Ratings for ASTM B148 Alloy C95800 Flanges	4
7.1.1-1 Dimensions of Class 150 Threaded Companion and Blind Flanges for Alloys C83600 and C92200	8
7.1.1-2 Dimensions of Class 300 Threaded Companion and Blind Flanges for Alloys C83600 and C92200	9
8.1.2-1 Dimensions of Class 150 Elbows, Tees, Crosses, Laterals, True Ys (Straight Sizes), and Reducers	10
8.1.2-2 Dimensions of Class 300 Elbows, Tees, Crosses, Laterals, True Ys (Straight Sizes), and Reducers	12