

ASME B46.1-2019
(Revision of ASME B46.1-2009)

Surface Texture **(Surface Roughness,** **Waviness, and Lay)**

AN INTERNATIONAL STANDARD



**The American Society of
Mechanical Engineers**

ASME B46.1-2019
(Revision of ASME B46.1-2009)

Surface Texture (Surface Roughness, Waviness, and Lay)

AN INTERNATIONAL STANDARD



**The American Society of
Mechanical Engineers**

Two Park Avenue • New York, NY • 10016 USA

FOR ASME COMMITTEE USE ONLY

Date of Issuance: June 30, 2020

The next edition of this Standard is scheduled for publication in 2025.

ASME issues written replies to inquiries concerning interpretations of technical aspects of this Standard. Interpretations are published on the Committee web page and under <http://go.asme.org/InterpsDatabase>. Periodically certain actions of the ASME B46 Committee may be published as Cases. Cases are published on the ASME website under the B46 Committee Page at <http://go.asme.org/B46committee> as they are issued.

Errata to codes and standards may be posted on the ASME website under the Committee Pages to provide corrections to incorrectly published items, or to correct typographical or grammatical errors in codes and standards. Such errata shall be used on the date posted.

The B46 Committee Page can be found at <http://go.asme.org/B46committee>. There is an option available to automatically receive an e-mail notification when errata are posted to a particular code or standard. This option can be found on the appropriate Committee Page after selecting “Errata” in the “Publication Information” section.

ASME is the registered trademark of The American Society of Mechanical Engineers.

This international code or standard was developed under procedures accredited as meeting the criteria for American National Standards and it is an American National Standard. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not “approve,” “rate,” or “endorse” any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

No part of this document may be reproduced in any form,
in an electronic retrieval system or otherwise,
without the prior written permission of the publisher.

The American Society of Mechanical Engineers
Two Park Avenue, New York, NY 10016-5990

Copyright © 2020 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All rights reserved
Printed in U.S.A.

FOR ASME COMMITTEE USE ONLY

CONTENTS

Foreword		ix
Committee Roster		xi
Correspondence With the B46 Committee		xii
Executive Summary		xiv
Summary of Changes		xv
Section 1	Terms Related to Surface Texture	1
1-1	General	1
1-2	Definitions Related to Surfaces	1
1-3	Definitions Related to the Measurement of Surface Texture by Profiling Methods	3
1-4	Definitions of Surface Parameters for Profiling Methods	6
1-5	Definitions Related to the Measurement of Surface Texture by Area Profiling and Area Averaging Methods	15
1-6	Definitions of Surface Parameters for Area Profiling and Area Averaging Methods	16
Section 2	Classification of Instruments for Surface Texture Measurement	21
2-1	Scope	21
2-2	Recommendation	21
2-3	Classification Scheme	22
Section 3	Terminology and Measurement Procedures for Profiling, Contact, Skidless Instruments	24
3-1	Scope	24
3-2	References	24
3-3	Terminology	24
3-4	Measurement Procedure	29
Section 4	Measurement Procedures for Contact, Skidded Instruments	31
4-1	Scope	31
4-2	References	31
4-3	Purpose	31
4-4	Instrumentation	31
Section 5	Measurement Techniques for Area Profiling	36
5-1	Scope	36
5-2	References	36
5-3	Recommendations	36
5-4	Imaging Methods	36
5-5	Scanning Methods	36
Section 6	Measurement Techniques for Area Averaging	37
6-1	Scope	37
6-2	Examples of Area Averaging Methods	37

Section 7	Nanometer Surface Texture and Step Height Measurements by Stylus Profiling Instruments	38
7-1	Scope	38
7-2	Applicable Documents	38
7-3	Definitions	38
7-4	Recommendations	39
7-5	Preparation for Measurement	40
7-6	Calibration Artifacts	41
7-7	Reports	42
Section 8	Nanometer Surface Roughness as Measured With Phase Measuring Interferometric Microscopy	43
8-1	Scope	43
8-2	Description and Definitions: Noncontact Phase Measuring Interferometer	43
8-3	Key Sources of Uncertainty	43
8-4	Noncontact Phase Measuring Interferometer Instrument Requirements	45
8-5	Test Methods	45
8-6	Measurement Procedures	45
8-7	Data Analysis and Reporting	46
8-8	References	46
Section 9	Filtering of Surface Profiles	47
9-1	Scope	47
9-2	References	47
9-3	Definitions and General Specifications	47
9-4	2RC Filter Specification for Roughness	48
9-5	Phase Correct Gaussian Filter for Roughness	50
9-6	Filtering for Waviness	53
9-7	Filtering of Surfaces With Stratified Functional Properties	55
Section 10	Terminology and Procedures for Evaluation of Surface Textures Using Fractal Geometry	56
10-1	General	56
10-2	Definitions Relative to Fractal-Based Analysis of Surfaces	56
10-3	Reporting the Results of Fractal Analyses	59
10-4	References	61
Section 11	Specifications and Procedures for Precision Reference Specimens	63
11-1	Scope	63
11-2	References	63
11-3	Definitions	63
11-4	Reference Specimens: Profile Shape and Application	63
11-5	Physical Requirements	64
11-6	Assigned Value Calculation	64
11-7	Mechanical Requirements	65
11-8	Marking	66
11-9	Calibration Interval	66
Section 12	Specifications and Procedures for Roughness Comparison Specimens	75
12-1	Scope	75
12-2	References	75

12-3	Definitions	75
12-4	Roughness Comparison Specimens	75
12-5	Surface Characteristics	75
12-6	Nominal Roughness Grades	75
12-7	Specimen Size, Form, and Lay	75
12-8	Calibration of Comparison Specimens	76
12-9	Marking	76

Nonmandatory Appendices

A	General Notes on Use and Interpretation of Data Produced by Stylus Instruments	78
B	Control and Production of Surface Texture	80
C	A Review of Additional Surface Measurement Methods	84
D	Additional Parameters for Surface Characterization	91
E	Characteristics of Certain Area Profiling Methods	94
F	Descriptions of Area Averaging Methods	101
G	Observations on the Filtering of Surface Profiles	104
H	Reference Subroutines	106
I	A Comparison of ASME and ISO Surface Texture Parameters	114
J	Functional Standards	117
K	Suggested Terminology and Procedures for the Evaluation of Functional Correlations of Surface Textures With Processing and Performance	118

Figures

1-2.1-1	Schematic Diagram of Surface Characteristics	2
1-3.1-1	Measured Versus Nominal Profile	3
1-3.1.1-1	Stylus Profile Displayed With Two Different Aspect Ratios	4
1-3.2-1	Filtering a Surface Profile	5
1-3.2-2	Examples of Nominal Profiles	6
1-3.3-1	Profile Peak, Valley, and Element	7
1-3.5-1	Surface Profile Measurement Lengths	7
1-4.1.1-1	R_t , R_p , and R_v Parameters	7
1-4.1.1-2	The R_t and R_{max} Parameters	8
1-4.1.1-3	Illustration for the Calculation of Roughness Average R_a	8
1-4.1.1-4	Surface Profile Containing Two Sampling Lengths, l_1 and l_2 , Also Showing the R_{p_i} and R_{t_i} Parameters	9
1-4.1.2-1	The Waviness Height, W_t	9
1-4.2-1	The Mean Spacing of Profile Elements, RS_m	10
1-4.2-2	The Peak Count Level, Used for Calculating Peak Density	12
1-4.3-1	Amplitude Density Function — $ADF(z)$ or $p(z)$	12
1-4.3-2	The Bearing Area Curve and Related Parameters	13
1-4.3-3	Three Surface Profiles With Different Kurtosis	14
1-4.3-4	The Profile Bearing Length	14
1-4.3-5	Three Surface Profiles With Different Skewness	15
1-5.1-1	Topographic Map Obtained by an Area Profiling Method	16
1-5.3-1	Area Peaks (Left) and Area Valleys (Right)	16

1-6.3-1	Comparison of Profiles Measured in Two Directions on a Uniaxial Periodic Surface Showing the Difference in Peak Spacing as a Function of Direction	18
1-6.5-1	Indication of Surface Lay	20
2-1-1	Classification of Common Instruments for Measurement of Surface Texture	21
3-3.3-1	Profile Coordinate System	25
3-3.4.2-1	Conical Stylus Tip	25
3-3.4.3-1	Other Stylus Tip Geometries	26
3-3.8.3-1	Aliasing	28
4-1.2-1	Schematic Diagrams of a Typical Stylus Probe and Fringe-Field Capacitance Probe	32
4-4.2-1	Effects of Various Cutoff Values	34
4-4.7-1	Examples of Profile Distortion Due to Skid Motion	35
4-4.7-2	Examples of Profile Distortion	35
7-4.2.4-1	The Radius of Curvature for a Surface Sine Wave	40
7-4.2.5-1	Stylus Tip Touching Bottom and Shoulders of Groove	40
7-4.2.5-2	The Stylus Tip Contact Distance, x	41
8-2-1	A Typical Phase Measuring Interferometer System	44
8-2-2	Demonstration of the Detector Array With Element Spacing, Δ , and the Measurement of the Longest Spatial Wavelength, λL , Covering the Total Number of Pixels, N	44
8-2-3	Demonstration of the Detector Array With Element Spacing, Δ , and the Measurement of the Smallest Spatial Wavelength, λR , Covering Five Pixels	45
9-3.2-1	Wavelength Transmission Characteristics for the 2RC Filter System	49
9-3.2-2	Gaussian Transmission Characteristics Together With the Uncertain Nominal Transmission Characteristic of a 2 μm Stylus Radius	49
9-3.2-3	Weighting Function of the Gaussian Profile Filter	50
9-5.8-1	Gaussian Transmission Characteristic for the Waviness Short-Wavelength Cutoff, λ_{sw} , or for Deriving the Roughness Mean Line Having Cutoff Wavelengths, λ_c	52
9-5.9-1	Gaussian Transmission Characteristic for the Roughness Long-Wavelength Cutoff Having Cutoff Wavelengths, λ_c	53
9-5.10-1	Example of a Deviation Curve of an Implemented Filter From the Ideal Gaussian Filter as a Function of Spatial Wavelength	54
10-2.1.3-1	Self-Similarity Illustrated on a Simulated Profile	57
10-2.1.4-1	An Idealized Log-Log Plot of Relative Length (of a Profile) or Relative Area (of a Surface) Versus the Scale of Observation	57
10-2.1.9-1	An Idealized Log-Log Plot of Relative Length or Relative Area Versus the Scale of Observation (Length-Scale or Area-Scale Plot), Showing Multifractal Characteristics and Crossover Scales	57
10-2.2.1-1	Three Stepping Exercises From a Length-Scale Analysis on a Simulated Profile	58
10-2.2.2-1	Four Tiling Exercises From an Area-Scale Analysis	59
10-2.2.2.4-1	An Area-Scale Plot Including the Results of the Tiling Series in Figure 10-2.2.2-1	60
11-4.1-1	Type A1 Groove	63
11-4.1-2	Type A2 Groove	64
11-5.3-1	Allowable Waviness Height, W_t , for Roughness Calibration Specimens	64
11-7.1-1	Assessment of Calibrated Values for Type A1	67
11-7.2-1	Type B1 Grooves: Set of Four Grooves	69
11-7.2-2	Type B2 or Type C2 Specimens With Multiple Grooves	70
11-7.2-3	Use of Type B3 Specimen	70
11-7.3-1	Type C1 Grooves	71

11-7.3-2	Type C3 Grooves	72
11-7.3-3	Type C4 Grooves	73
11-7.4-1	Unidirectional Irregular Groove Specimen Having Profile Repetition at $5\lambda_c$ Intervals (Type D1 With $\lambda_c = 0.8$ mm)	74
B-2-1	Surface Roughness Produced by Common Production Methods	81
C-2.2-1	Schmaltz Profile Microscope	85
C-2.3-1	Reflectance Measurement	85
C-2.4-1	Schematic Diagram of Circular Path Profiler	86
C-2.5-1	Multiple-Beam Interferometer	86
C-2.6-1	Differential Interference Contrast Photograph of Automobile Engine Cylinder Wall	87
C-2.7-1	Differential Interferometry	87
C-3-1	Zehender Method	88
C-4.1-1	Comparison of Optical and Transmission Electron Microscopes	88
C-4.2-1	Diagram of Scanning Electron Microscope	89
D-2.1-1	Average Peak-to-Valley Roughness	91
D-2.2-1	Average Spacing of Roughness Peaks	92
D-2.3-1	Swedish Height of Irregularities	92
D-3-1	Measured Profiles and Their Autocorrelation Functions	93
E-3.1.1-1	Schematic Diagram of an Optical Focus-Sensing Instrument	95
E-3.2.1-1	Schematic Diagram of Nomarski Differential Profiler	96
E-3.3.1-1	Area Scanning Stylus Profiler	97
E-3.4.1-1	Basic Structure of an Early STM	98
E-3.5.1-1	Schematic Diagram of an Atomic Force Microscope With an Optical Lever Sensor	99
E-3.6-1	Schematic Diagram of a Confocal Microscope	100
F-1-1	Comparison of Roughness Void Volumes	102
F-1-2	Principle of Capacitance Between Parallel Plates	102
F-2-1	Schematic Diagram of an Instrument for Measuring TIS	102
F-3-1	Schematic Diagram of an Instrument for Measuring ARS or BRDF	103
H-4-1	Subroutines	107
K-4.1-1	Roughness, R_z , Versus Feed	121
K-4.2-1	Mean Relative Areas Versus Scale, μm , From Surfaces Created With All Five Discharge Pulse Energies	121
K-4.2-2	Mean Area-Scale Fractal Complexities ($Asfc$) Versus Scale for All Pulse Energies	122
K-4.2-3	Multiscale Correlation Strengths of the First Kind	123
K-4.3-1	Example of Regression Analysis and a Strong Functional Correlation	124
K-4.3-2	Multiscale Correlation Strengths of the Second Kind	125

Tables

3-3.20.1-1	Cutoff Values for Periodic Profiles Using RS_m	29
3-3.20.2-1	Cutoff Values for Nonperiodic Profiles Using R_a	29
4-4.2-1	Measurement Cutoffs and Traversing Lengths for Continuously Averaging Instruments Using Analog Meter Readouts	32
4-4.2-2	Measurement Cutoffs and Minimum Evaluation Lengths for Instruments Measuring Integrated Roughness Values Over a Fixed Evaluation Length	33
9-4.3.2-1	Limits for the Transmission Characteristics for 2RC Long-Wavelength Cutoff Filters . . .	51
9-5.11-1	Typical Cutoffs for Gaussian Filters and Associated Cutoff Ratios	54

9-6.3-1	Typical Values for the Waviness Long-Wavelength Cutoff, λ_{cw} , and Recommended Minimum Values for the Waviness Traversing Length	55
10-3-1	Example of a Report on Fractal Analysis	60
11-7.1-1	Nominal Values of Depth or Height and Examples of Width for Type A1	67
11-7.1-2	Nominal Values of Depth or Radius for Type A2	68
11-7.1-3	Tolerances and Uncertainties for Types A1 and A2	68
11-7.2-1	Tip Size Estimation From the Profile Graph for Type B1	69
11-7.3-1	Typical Ra and RSm Values for Type C1	71
11-7.3-2	Tolerances and Uncertainties for Types C1 Through C4	72
11-7.3-3	Typical Values of Ra and RSm for Type C2	72
11-7.3-4	Typical Values of Ra for Type C4	73
11-7.4-1	Tolerances and Uncertainties for Types D1 and D2	74
12-6-1	Nominal Roughness Grades, Ra , for Roughness Comparison Specimens	76
12-7-1	Form and Lay of Roughness Comparison Specimens Representing Various Types of Machined Surfaces	76
12-8-1	Examples of Sampling Lengths for Calibration of Comparison Specimens, mm	77
I-1	ASME B46.1-2019 Parameters	115
J-1	Reference Standards	117
K-3-1	Elements for Reporting a Functional Correlation	119